


# **Products Catalog 23**



PERFORMANCE STARTS HERE

# **HSR Series Carbs**


42/45/48

# Smoothbore Carburetors

Going fast has never been so easy!
The number one performance carburetor for
Harley-Davidsons and American Big Twins now
slips onto any late model Harley-Davidson
using the original throttle cables. Mikuni's
Twin Cam, Big Twin and Sportster / Buell
Easy Kits even use Harley's existing manifold,
choke cable and air filter.

Keep a Harley's stock factory look and fit with better throttle response, improved acceleration, increased power and torque. Mikuni's smoothbore, flatslide throttle with roller bearings, and accelerator pump technology delivers peak performance from idle to Wide Open Throttle.

Available in 42, 45, and 48mm throttle bores for use with stock, mild, and highly modified engines.





# Bolt On a 25% Power and Torque Increase!

Mikuni's Easy Kit dramatically improves the performance of Harley-Davidson's Twin Cam engine and delivers unmatched throttle response and acceleration! Used with a Screamin' Eagle Air Filter and an aftermarket exhaust system like the optional Screamin' Eagle Mufflers, the HSR42 Easy Kit adds 25% more horsepower to the output of Harley's Twin Cam motor. Maximum horsepower is increased from 57.8 to 72.2 hp, and maximum torque from 71.4 to 80.7 ft/lbs.

# **HSR Kits**

## 42/45/48 Smoothbore Kits

Every Mikuni Carburetor Kit is an easy bolt-on application. Each HSR carburetor in the kit comes pre-jetted and ready to run!

■ Easy Kits 42/45mm Keep your stock look with our uniquely designed Easy Kit which uses your stock manifold and cables. Our special adapter retains your stock airbox or use the Screamin' Eagle performance air filter kit.

California A.R.B. Legal Kits available for EVO Big Twin applications.

Race Kits 48mm A real racing carburetor for monster motors. The new HSR48 delivers the highest airflow with accurate fuel metering for more power and precise throttle control.

An extended main jet and larger needle valve assembly assure maximum fuel flow to very powerful

# Total Kits ► 42/45mm

included in the kit).

Go for high flow! The complete Total Kit includes a special manifold, rubber flange and high flow air filter. Total Kits allow fitment of a HSR42 or 45mm carburetor to any Big Twin Evolution or Twin Cam model. Our high flow filter supports 100 horsepower with no loss from filter restriction. (Manifold clamps, seals are not



# Sportster / Buell Kits

Mikuni offers two different HSR42 Kits for Sportsters and Buells. One kit, just for Sportsters includes a special airbox backing plate as shown to work with the stock oval cover and a Screamin' Eagle high flow replacement filter. The other kit, without the backing plate, works on Buells and Sportsters with an aftermarket performance air filter assembly.

Carburetor kits not designated as C.A.R.B. exempt, are not legal for motor vehicles operated on public highways in the state of California or in other states and countries where similar anti-pollution laws may apply.

# **HSR** Applications



# Mikuni HSR Series Carburetor Kits

**HSR Carbs use stock Harley-Davidson throttle cables.** 

The latest 42/45/48mm smoothbore carburetors from Mikuni install quickly using the original stock throttle cables. The HSR flatslide carb delivers excellent throttle response and control. The smoothbore allows the engine to reach its full power potential, so you accelerate and pass with confidence. You'll get good gas mileage and many years of dependable, carefree performance. These kits cover more models with fewer part numbers. Kits include instructions and hardware for each application.

## Easy Kits for Sportsters, Big Twin and Twin Cam models

These kits are designed to work with your original Harley-Davidson intake manifold, choke cable, air cleaner and throttle cables. You can run other high performance air filters designed for the CV type carb by using the special adapter included in the kit.

- **42-7** 1990 to 1999 1340 Big Twin Evo with stock CV type manifold. Includes 42mm carb, airbox adapter and chrome cover.
- **42-18**1999 to present Twin Cam, 1990 to '99 Big Twin Evo Includes 42mm carb, air box adapter, instructions. Twin Cam and Evo engines require the use of an aftermarket air cleaner. Will not work with stock air box.
- **42-10**1994 to 2004 Sportster 1200.
  Includes 42mm carb, with special air box back plate. Requires the use of the stock oval cover and a Screamin' Eagle high flow replacement filter.
- 42-11 1994 to 2006 Sportster 1200, Buell models. Must use with aftermarket performance air filter.
  45-5 1999 to present Twin Cam, 1990 to '99 Big Twin Evo

Includes 45mm carb, air box adapter, instructions.

Must use a H-D Screamin' Eagle Manifold Kit:

Nos. 29634-00 (HTTC), 29635-99 (TC), or 29636-99 (Evo)

# Total Kits for Big Twin Evolutions & Twin Cam models

These kits are complete with everything needed for a total installation. Kits include an HSR 42mm or 45mm carburetor, new performance manifold, rubber flange, high flow air filter, chrome cover, chrome breather kit and mounting hardware. Stock throttle cables from 1990 and later models can be used. Note: 1984 to 1989 Evo models will need new cables from a similar 1990 to 1995 model.

**HSR42 Kits** 

**42-8** 1984 to 1999 1340 Big Twin Evo.

Includes breather kit #KHS-020 for 1993 and later models. Note: 1984 to 1989 models require cables from 1990 to 1995 model bikes.

**42-19** 1999 to present Twin Cam 88/95.

Includes new breather kit #KHS-030 for Twin Cams. Note: Use your stock throttle cables.

**HSR45** Kits

**45-2** 1984 to 1999 1340 Big Twin Evo.

Includes a 45 mm big bore carburetor, breather kit #KHS-020 and a 45mm flange.

**45-3** 1984 to 1999 1340 Big Twin Evo.

Same as kit above without intake manifold.

**45-4** 1999 to present Twin Cam 88/95.

Includes 45mm carb, breather kit #KHS-030, new manifold with MAPS location and 45mm flange.

## **Big Twin Evo CA Legal Kits**

These kits may be used in California when all stock original components are unchanged. Kits are exempt from emission laws when installed according to instructions.

**42-6** 1990 to 1998 1340 Big Twin Evolution models



## Race Kit 48mm for Big Motors

Designed for the serious race engine builder and externe street motor enthusiast looking for more power. Recommended for 120ci engines or bigger with high flow heads and cams. Kits include a 48mm smoothbore carb, rubber mounting flange (78mm bolt hole centers), choke cable, four main jets. Builder supplies manifold and appropriate air filter or velocity stack. Uses stock Harley CV type cables.

48-2 HSR48 Race Kit, Standard

Standard cast alloy body, cadium fittings

48-2P HSR48 Race Kit, Polished

Hand polished cast alloy body, chrome fittings

# art



### **Individual HSR42/45 Carburetors**

For the performance engine builder needing the carburetor only for specific custom applications. Available in standard aluminum finish or the polished version. (Note: Choke cable is included, except on TM42-6 which will use stock choke cable from CV type carb).

**TM42-6** HSR 42mm Carburetor, Standard finish **TM42-6PK** HSR 42mm Carburetor, Polished version TM45-2K **HSR 45mm Carburetor**, Standard finish **TM45-2PK** HSR 45mm Carburetor, Polished version

## **HSR Accessories**

### **Crankcase Head-Breather Kits**

For the installation of HSR Carburetor Kits using the Mikuni K&N high flow filter on Big Twins and Twin Cams.

**KHS-020** To mount HSR42/45 carb and filter to Evo Big Twins, includes the new chrome banjos,

vent bolts and brackets.

KHS-030

To mount HSR42/45 carb and filter to Twin

Cam engine, includes the new chrome banjos, vent bolts and brackets.

### **Jet Assortment** Kit for HSR

Jet Assortment Kits contain 44 pieces in a special jet box. Included are 2 ea. of a wide range of Main Jets, Pilot Jets, Needles, A/P Nozzles, Needle Clips, Needle Washers.



**KHS-025** HSR42 Jet

Kit with box, 44 piece assortment.

KHS-045 HSR45 Jet Kit with box, 44 piece assortment. **KHS-048** HSR48 Jet Kit with box, 44 piece assortment.

### HSR42/45/48 Carb Rebuild Kits

All the necessary parts and gaskets to freshen up an HSR carb. Includes needle valve assembly, O-rings, gaskets, screws, and instructions. Shown at right:

KHS-016 Rebuild Kit for HSR42/45 Carb with 4.2 needle valve KHS-017 Rebuild Kit for HSR42/45 Carb with 2.3 needle valve KHS-031 Rebuild Kit for HSR48 Carb with 4.5 needle valve

## **Optional and Replacement Parts**

990-605-065

TM42/32

990-662-002 HS42/001K HS42/001-CHR-K HS42/002

HS42/003 HS42/018-42K

HS42/018-45K

HS42/061-45

HS42/061-45TC

HS42/062-42K

HS42/062-45K

HS42/062-48K

HS42/012

HS42/012-300

HS42/059 HS42/060 KHS-028 KHS-029 KHS-032

Short Idle Screw Adjuster (optional). Uses standard spring. Long Idle Cable Adjuster (standard). Spring not included. Choke Cable, enrichener. Air Box Adapter Kit, std. finish Air Box Adapter Kit, chrome finish Adapter Screws. use three per adapter.

O-Ring Seal for airbox adapter. Rubber Flange Adapter, early 42mm black w/stainless steel clamp. Rubber Flange Adapter, early 45mm black w/stainless steel clamp. Intake Manifold for HSR42/45 mm. Evo style without hole.

Intake Manifold for HSR42/45 mm. Twin Cam style with MAPS hole. Rubber Flange Adapter,

42mm black w/stainless steel clamp. Rubber Flange Adapter,

45mm black w/stainless steel clamp.

Rubber Flange Adapter, 48mm black w/stainless steel clamp.

Air Filter Mikuni 2.5 inch standard in kits, washable Air Filter Mikuni 3.0 inch high performance, washable

Air Cleaner Cover. chrome w/cutouts Air Cleaner Cover, chrome wo/cutouts Chrome Carb Top 42/45 wo/Mikuni Chrome Carb Top 42/45 w/Mikuni Chrome Carb Top 48 w/Mikuni logo

## **Jetting Parts**

High speed (main), low speed (pilot) jets, jet needles and accelerator pump nozzle for the HSR42/45/48 carburetors.

VM28/486-(size) N100.604-(size) **J8-8DDY01-**(size)

**J8-8CFY02-**(size) **J8-8CFY15-**(size) TM42/11-(size)

N124.063

Pilot Jets. sizes 15 to 50 Main Jets, sizes 140 to 240 HSR42 Jet Needles, size 95, 96, 97 and 98, standard in HSR42 is 97. **HSR45 Jet Needles** same as above HSR48 Jet Needles same as above Accelerator Pump Nozzle, size 50, 60, and 70, standard is 70. Accelerator Pump O-Ring



# **ISR** Replacemen

N4 00 007

## HSR42/45/48 Parts List

	5K42/
#	PART NO.
1.	C5=0410-B
1a.	KHS-028/05
2.	CW2=0414-B
3.	776-39005
3a. <b>4.</b>	HS42/081 <b>TM42/04</b>
<del>4</del> . 5.	BS32/126
6.	826-03002
7.	J8-8DDY01-97
7a.	J8-8CFY02-97
7b.	J8-8CFY15-97
8.	TM42/03
8a. 9.	TM42/08-1A B40l/56
10.	B40I/10
11.	834-23041
12.	TM42/08-3.0
13.	739-13002
14.	TM42/16
15.	TM42/13
15a <b>16.</b>	. TM48/04 TM42/10
17.	925-98006
18.	53974
19.	TM42/51
19a	
20.	B3=0520-B
21.	VM28/204
22. 23.	TM42/38 C2=0514-B
23. 24.	640-12001
25.	VM14/241
26.	N189.192
27.	<del>TM42/06-</del>
	. <del>TM48/02</del>
28.	616-94029
29.	925-19011
30. 31.	TM42/43 N138.019
32.	TM42/48
33.	M12F/46-BB
34.	MC-0316-B
35.	TM42/47
36.	TM42SS1/01 0
	. <del>TM48SS1/01</del>
37. 38:	B36/95 TM42/36
39.	B30/205
40.	TM40/89
40a	
41.	BN38/43
42.	TM42/46
43.	B30/1069
44. 45.	N3=04 TM42/19
45. 46.	700-15012
47.	TM42/15
48.	C2=0410
40	604.06014

49. 604-26014 49a. VM20/584

50. N133,206

51. VM12/205

#### **DESCRIPTION** Screw, Top Cover (HSR42/45) Screw, Top Cover (HSR48) Screw, Top Cover (HSR42/45/48) Top Cover (42/45) Top Cover (HSR48) Gasket, Top Cover E-Ring, Jet Needle Washer, Jet Needle Jet Needle (42) -95 Richer Jet Needle (45) -96 Richer Jet Needle (48) **■** -97 Std Lever, T.V. (42/45) -98 ¥ Leaner Lever, T.V. (HSR48)

E-Ring, Link Lever Packing, Link Lever Pin, Link Lever Throttle Valve (Slide) Screw, Needle Retainer Clip, Needle Retainer Sealing Ring, T.V. (42/45) Sealing Ring, T.V. (48) Seal, Throttle Valve Pulley, Cable Bracket E-Ring, Cable Bracket Bracket Assíy, Cable Bracket Assíy, Sportster Bolt, Bracket Spacer, Bracket Plate, Lock Tab Screw Starter Nut, Choke Spring, Starter Plunger

Starter Plunger Body (HSR42/45) Body (HSR48) Seal, Spigot Body Ring (Steel) Lever, A/P Pin, Throttle Lever Lever, Throttle Spring, A/P Screw, A/P Spring, A/P Mixing Body (42/45) Mixing Body (48) Packing, Shaft (Plastic)

Adjusting Screw, A/P ORing, A/P Screw Bolt Plate, Lock Tab for Shaft Pin, Return Lever

Lever, Return Adjusting Screw, Throttle Nut, Throttle Stop Spring, Throttle Return Shaft, Throttle

Plate, Fuel Joint Retainer Screw, Fuel Joint Screw, Pilot Air

Optional Short Screw, Pilot Air Spring, Pilot Air

Washer, Pilot Air

52.	N133.037	ORing, Pilot Air
53.	TM40/27	Fuel Joint
54.	KV/10	O-Ring, Fuel Joint
55.	B30/398	Packing, Idle Adjuster
56.	VM22/138	Washer, Idle Adjuster
57.	730-09018	Spring, Idle Adjuster
58.	925-15001	Ring, Idle Adjuster
59.	TM42/32	Idle Adjuster (Long)
59a.	990-605-065	Idle Adjuster (Short)
60.	BS30/97-00	Air Jet (Blank)
61.	784-430000-Y-6	Needle Jet (723) -70 Std
62.		Nozzle, Accel, Pump → -60 Leaner
63.	N124.063	O-Ring, A/P -50 ▼ Leaner
64.	VM28/486-25	Pilot Jet (Sportster - 20)
	TM42/12	Extender, Main Jet (42/45)
	TM42/12-1A	Extender, Main Jet (48)
66.	N100.604-160	Main Jet (45-175, 48-190)
67.	616-33003	O-Ring N.V.
	VM13/216	Screw, N.V. Retainer
69.	786-27001-4.2	Needle Valve Assbly (42/45)
		• • •
69a.	786-27002-1A-4.5	Needle Valve Assbly (48)
<b>69a.</b> 70.	<b>786-27002-1A-4.5</b> 859-32027	Needle Valve Assbly (48) Float Assíy
<b>69a.</b> 70. 71.	. <b>786-27002-1A-4.5</b> 859-32027 BV26/22	Needle Valve Assbly (48) Float Assíy Pin, Float
<b>69a.</b> 70. 71. 72.	. <b>786-27002-1A-4.5</b> 859-32027 BV26/22 C2=0410	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin
<b>69a.</b> 70. 71. 72. <b>73.</b>	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl
<b>69a.</b> 70. 71. 72. <b>73.</b> 74.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75.</b>	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75. 76.</b>	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75. 76.</b> 77.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45)
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75. 76.</b> 77. 77a.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41-1D	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45) Drain plug (48)
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75.</b> 76. 77. 77a. <b>78.</b>	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41-1D C2=0412-B	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45) Drain plug (48) Screw, Flt Bowl, short
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75.</b> 76. 77. 77a. <b>78.</b> 79.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41-1D C2=0412-B TM36/44-1A	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45) Drain plug (48) Screw, Flt Bowl, short Rod, A/P
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75.</b> 76. 77. 77a. 78. 79. 80.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41-1D C2=0412-B TM36/44-1A TM36/64	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45) Drain plug (48) Screw, Flt Bowl, short Rod, A/P Boot, A/P Rod
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75.</b> 76. 77. 77a. 78. 79. 80. 81.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41-1D C2=0412-B TM36/64 TM36/60	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45) Drain plug (48) Screw, Flt Bowl, short Rod, A/P Boot, A/P Rod Plunger, A/P
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75.</b> 76. 77a. 78. 79. <b>80.</b> 81. 82.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41-1D C2=0412-B TM36/44-1A TM36/64 TM36/60 VM14SC13/89	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45) Drain plug (48) Screw, Flt Bowl, short Rod, A/P Boot, A/P Rod Plunger, A/P Spring, A/P
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75.</b> 76. 77a. <b>78.</b> 79. <b>80.</b> 81. 82. 83.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41-1D C2=0412-B TM36/44-1A TM36/64 TM36/60 VM14SC13/89 N198.063	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45) Drain plug (48) Screw, Flt Bowl, short Rod, A/P Boot, A/P Rod Plunger, A/P Spring, A/P Rubber Cap, Purge Port
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75.</b> 76. 77. 77a. 78. 80. 81. 82. 83. 84.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41-1D C2=0412-B TM36/44-1A TM36/64 TM36/60 VM14SC13/89 N198.063 990-662-002	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45) Drain plug (48) Screw, Flt Bowl, short Rod, A/P Boot, A/P Rod Plunger, A/P Spring, A/P Rubber Cap, Purge Port Choke Cable
<b>69a.</b> 70. 71. 72. <b>73.</b> 74. <b>75.</b> 76. 77a. <b>78.</b> 79. <b>80.</b> 81. 82. 83.	786-27002-1A-4.5 859-32027 BV26/22 C2=0410 616-94028 TM42/05 N122.028 VM28/254 TM32/41-1D C2=0412-B TM36/44-1A TM36/64 TM36/60 VM14SC13/89 N198.063	Needle Valve Assbly (48) Float Assíy Pin, Float Screw, Float Pin Packing, Float Bowl Float, Chamber Body Hose, Overflow O-Ring, Drain Plug Drain plug (42/45) Drain plug (48) Screw, Flt Bowl, short Rod, A/P Boot, A/P Rod Plunger, A/P Spring, A/P Rubber Cap, Purge Port

OD:-- - D:1-+ A:-

#### **Alternate Parts** Jet Needles:

HSR45	H5H48	
J8-8CFY02-95	J8-8CFY15-95	Richer
J8-8CFY02-96	J8-8CFY15-96	Richer
J8-8CFY02-97	J8-8CFY15-97	Std
J8-8CFY02-98	J8-8CFY15-98	Leaner
	J8-8CFY02-95 J8-8CFY02-96 J8-8CFY02-97	J8-8CFY02-96 J8-8CFY15-96 J8-8CFY02-97 J8-8CFY15-97

110040

110045

### **Accelerator Pump Nozzles:**

Sta
Leaner
Leaner

## **Needle Valve Assemblies:**

786-27002-1A-4.5 Std (HSR48) 786-27001-4.2 Std (HSR42/45) 786-27001-3.5 Smaller 786-27001-2.3 Pressure feed only


#### **Rebuild Kit:**

HSR42/45: KHS-016 HSR48: KHS-031

1. — Lined through Part Numbers are not available.

2. Parts in Bold are included in Rebuild Kits.






# HS Replacement

TM36 Jetting

# **HS40 Carburetor Exploded View** same as TM40-6 and TM36-68



NO.	DESCRIPTION	PART NO.	
01	Mixing body	TM4055/01	
02)	E. Ring	BS32/126	
03	Washer, Needle clip	826-03002	
04	Allen Screw	739-13001	
05	Screw, synch lock	C5 = 0514	
06) 07	Gasket, top cover	TM 36/39	
08	Top Cover Lever Assy	TM 36/59 TM 36/57	
09	Gasket, funnel	TM 36/42a	
10	Funnel	TM 40/03	
11	Screw, T.V. Plate	C2 = 0310	
12	Plate, T.V. Lever	TM 36/12	
13)	O'Ring, A/P Nozzle	N124.063	
14 15	Pump, Nozzle	TM 36/43	
16	Plug, A/P Nozzle Washer, T. V. Lever	TM 29/14 <del>M 10/56</del>	
17	E. Ring, A/P Nozzle	BSW 28/70	
18	Packing, T.V. Lever	D-401/10	
19	Clip T.V. Lever	TM 27/05 A	
20	Ring, T.V. Lever	TM 29/65	
21	Plate, T.V. Lever	TM 27/04	
22 <b>23</b>	Connector Plate, T.V.  Jet Needle	TM 36/54 <b>J8-9DJY01</b>	9DZH6-50
	Throttle, Valve	N/A	3D2110-30
24 (25)26 (27)28)29	O'Ring, Fuel Screw	N 133.037	
26)	Washer, Ruel Screw	VM 12/33	
2 <u>7</u> )	Spring, Fuel Screw	N 133.206	
28)	O'Ring Float Bowl	616-94021	
29)	Screw, Pilot Fuel	604-26003	
30 <b>31</b>	Float Chamber Body	TM 40/12	10.5
32	Pilot Jet Needle Jet	VM 28/486-17.5 784-13002-Y6	-12.5 -P-8
33)	O'Ring Drain Plug	VM 28/254	. 0
34	Main Jet	N 100.604-165	-130
35	Drain Plug	TM 32/41	
35B	Drain Plug, Long (36)	TM32/41-1C	
36	Float Assy	859-32011	
37 <b>38</b>	Pin, Float Needle Valve Assy (36)	VM 30/160 <b>786-36011-3.3</b>	
38)A	Needle Valve Assy (40)	990-786-044	
39	Main Air Jet (Plugged)	BS30/97	
40	Screw, Crank Bracket	C5 = 0512-B	
41	Shaft, Throttle	<del>700 15004</del>	
42 42	Packing	DC 20/07 1 1	1.0
<b>43</b> 44	Pilot Air Jet Hexagon Nut	<b>BS 30/97-1.1</b> N2 = 03 B	-1.0
45	Adjust Screw	TM 36/48	
46	Bracket, Bell Crank	TM 40/14	
47	Pin, Throttle Bell Crank	N 138.019	
48	Lever Assy, Bell Crank	TM 40/23	
49	Spring, Idle Adjust	N150.025	
50 51	Adjuster, Idle	TM 40/91 TM 40/25	
52	Spring, Throttle Return Screw, Top Cover	CW2 = 0408	
54	Screw, Air Funnel	VM 38/133	
55	Pin, A/P Locate	BN 38/43	
56	Lever, A/Pump	TM 36/18	
57	O'Ring	B 30/205	
58 50	Spring, A/Pump	TM 40/33	
59 60	Lever, APump Spring, A/P Adj	TM 36/17 M12F/46a	
61	Screw, A/P Adj	MC-0316	
62	Hexagon nut, A/P Adj	N3 = 03-B	
63	CAP, Vacuum Fitting	N148.013	
64	Spring Clip, Vac Fit	BVK28/128	
65)	CAP, A/P Rubber	TM 36/64	
66 67	Rod, A/Pump	TM 36/44	
68	Plunger Spring, A/Pump	TM 36/60 VM 14SC13/89	
69	Plunger, Starter	VM 38/148	
70)	Hose	888-23026	
71	Screw, N.V. Holder	VM 13/216	
72)	Screw, Float Bowl	C2 = 0412-B	
73 74	Starter Jet	VM 17/1002-45	
74 75	Packing, Shaft Ring. A/P Spring	<del>VM 28/174</del> E 204040	
75 7 <u>6</u>	Cap, Starter Cable	VM 12/43	
81)	O'Ring, Starter	N 138.198	
82	Spring Starter	VM 16/42	
83	Guide Holder	640-12001	
84 0 <i>E</i>	Plate, Fuel Inlet	TM 40/26	
85 92)	Inlet, Fuel O'Ring, needle valve	TM 40/27 KV/10	
9 <i>4</i>	O'Ring, needle valve Choke Cable Assy	990-662-001	
94B	Chokeknob, Short	TM40/07	
	•		



## Mikuni HSR and TM Carburetor Parts and Accessories

The following Mikuni American Accessories are available for use with Mikuni HS40, HSR42/45/48 Carnuretor Kits. These parts are available through your Mikuni Dealer.

ACCESSORIES	Part Nos. HS40	HSR42/45/48
Carburetor Rebuild Kit (Includes gaskets & needle valve)	KHS-001	KHS-016, KHS-031 (48)
HSR Easy Tool Kit (Includes Wrench, T-Handle, 2 Bits)	CURRENTLY UNAVAILABLE)	KHS-033
Mikuni Air Filter - Standard 2.5 / High Flow		HS 42/012 (2.5')
Mikuni Air Filter - Extra Wide 3.0 / High Flow		HS 42/012-300 (3.0")
Chrome Air Cleaner Cover (OEM / cut-outs)		HS42/059
Chrome Air Cleaner Cover (Aftermarket / No cut-outs)	RS36/24-200-CHR	HS42/060
EVO Head Breather Kit (1991 to present Sportsters / 1993 to present 1340's)		KHS-020
Twin Cam Head Breather Kit		KHS-030
EVO 1340 Manifold		HS42/061-45
Twin Cam Manifold		HS42/061-45TC
Rubber Flange, Early Style (with clamp)	KHS-004	HS42/018-42K HS42/018-45K
Rubber Flange, New Style (with clamp)	KHS-004	HS42/062-42K HS42/062-45K HS42/062-48K
Choke Cable Assembly Choke Pull Assembly	990-662-001	990-662-002 TM29/31
Optional Short Idle Screw		990-605-065
HSR Main Jet Extension Kit for high performance applica	ations (shown on page 7)	KHS-034




### HSR Easy Tool Kit KHS-033 Includes:


Wrench 17mm x 11/16' loosen/tighten choke nut, drain plug. Main Jet T-Wrench, Phillips/Flat Head Screwdriver, Ball End 2.5 Allen for jet needle retainer.

(CURRENTLY UNAVAILABLE)

## EARLY GEN 1 HSR Carburetor Designs

Early Style HSR42/45 Manufactured before year 2000 with throttle linkage on left. Uses Mikuni throttle cables.






### LATER GEN 2 HSR Carburetor Designs

Late Style HSR42/45/48

Manufactured from year 2000 with throttle linkage on right. Uses stock OEM Harley-Davidson throttle cables.

# **RS Series Carbs**



The Mikuni RS Series Carburetors were designed and built in response to the needs of the world's top motorcycle road race and drag race teams. They required carburetors which could satisfy the precise fuel metering demands and high flow volume required by highly modified race engines. And yet, also provide the smooth, controllable throttle response that is needed by any rider pushing his motorcycle to its limits on the race track and under any high performance applications. The Carburetors need to meter fuel correctly under a wide range of atmospheric conditions and engine tuning modifications while being easily accessible for trackside tuning changes

which need to be made quickly.

Designed for in-line four cylinder performance motorcycle applications, the Mikuni RS Series Radial Flat Slide Carburetors offer superior horsepower gains with their maximum flowing smoothbore induction tract and radial flat slide design. An adjustable accelerator pump system helps to provide instant throttle response, particularly in the lower RPM range. The RS Series Carburetors feature a compact design which is 25% lighter than other performance carburetors and uses readily available Mikuni jets. Available in 34, 36, 38, and 40mm sizes.


### RS SIZE / FITMENT & STANDARD TUNING SPECIFICATIONS

MIKUNI KIT NUMBER	APPLICATION *(GENERAL)	CARB SPACING (Throttle Shaft No.) A-B-C	SPIGOT (O.D.) MM	MAIN JET (N100.604)	*JET NEEDLE (J8-) (CLIP POS.)	NEEDLE JET #568 (784-13002)	PILOT JET (VM28/486)	PILOT SCREW (TURNS)
RS34-D21-K	GSX-600 '88 GSX-R 750 to 1990 SUZ GS 750 ALL KAW KZ 750	77-93-77 (700-17011)	40	115	9DZH1 (-3)	P-4	17.5	1/4-1/2
RS36-D3-K	GSX-R 750 to 1990 GSX-R1100 to 1990 GS 1000-1150 KZ 1000-1100	77-93-77 (700-17011)	42	120 120 130 130	9DZH1 (-3)	P-4	17.5	1/4-1/2
RS38-D19-K	GSX-R 750 to 1990 GSX-R1100, GS 1000-1150 KZ 1000-1100	77-93-77 (700-17011)	42	135 135 135	9CHY3 (-2)	Y-6	17.5	1/4-1/2
RS40-D1-K	GSX-R '90, GS, KZ RACE	77-93-77 (700-17011)	44	140	9CHY3 (-3)	Y-6	17.5	1/4-1/2

KIT PREFIX NUMBER DENOTES CARB VENTURI SIZE IN MILLIMETERS. EG: RS36 = 36MM BORE.

\*NOTE: THESE ARE GUIDELINES ONLY, OTHER APPLICATIONS MAY BE AVAILABLE CONTACT YOUR MIKUNI DISTRIBUTOR SPECIFICATIONS ARE SUBJECT TO CHANGE.

\*NOTE: RS34/36 MAY USE 9DZH05 RS38/40 MAY USE 9CHY10



П

PARTS STAMPING
This marking is your quality assurance guarantee.
DO NOT ACCEPT SUBSTITUTES.





**IMPORTANT:** Mikuni RS Series Carburetors are legal in California ONLY FOR RACING VEHICLES WHICH MAY NEVER BE USED UPON A PUBLIC STREET OR HIGHWAY. In other locations check for similar laws which may apply.

### **MIKUNI VELOCITY STACKS KIT**

Velocity Stacks impove the air flow into carburetors to increase the induction efficiency and increase horsepower on racing engines where air fiter are not required. These sets of 4 Velocity Stacks fit all Mikuni RS Series Carburetors and other Carburetors with 55mm O.D. intake bells. Choose length depending on chassis clearance and desired tuning effect. Shorter Velocity Stacks aid low-RPM power, and Longer Velocity Stacks aid peak-RPM power.

30mm Mikuni Velocity Stacks, Part No. KRS-002 50mm Mikuni Velocity Stacks, Part No. KRS-003 70mm Mikuni Velocity Stacks, Part No. KRS-004 15mm Mikuni Velocity Stacks, Part No. KRS-007

#### MIKUNI RS METHANOL KIT

4-Carburetor Assemblies.

All the jetting components necessary to allow the use of Methanol Fuel with TS38 amd RS40 Carburetors.


Mikuni RS Methanol Kit Part No. KRS-005

## Mikuni RS34-40mm Carbs Rebuild Kit for Mikuni RS34 / RS36 / RS38 / RS40 Racing

Mikuni's legendary RS34/36/40 Flat Slide Performance Carburetors for In-line four cylinder 4-stroke motorcycles. Kit includes the needed Genuine Mikuni Parts to return all 4 carbs to like-new condition. Gaskets, Screws, Needle Valves, and O-rings. Jetting components sold separately.

Mikuni RS Rebuildl Kit Part No. MK-RS34-40

# RS Replacement



# Parts

No. Description MIXING BODY MIXING BODY 2 3 MIXING BODY MIXING BODY 4 FLOAT CHAMBER BODY 5 6 FLOAT CHAMBER BODY FLOAT CHAMBER BODY 8 FLOAT CHAMBER BODY 9 AIR FUNNEL BODY AIR FUNNEL BODY 10 CLIP, T.V. LEVER 11 E-RING, T.V. LEVER 12 WASHER, T.V. LEVER PACKING, T.V. LEVER 13 14 15 PLATE, T.V. LEVER 16 RING, T.V. LEVER 17 SCREW, SYNCH. LOCK 18 RING, SYNCH. ADJUST GASKET, TOP COVER TOP COVER, CARB. 20 LEVER ASSY, T.V. #1-2-4 21 GASKET. A/FUNNEL 22 SCREW. 2.5 mm ALLEN 23 E-RING, RS34-36 NDLE 24A 24B E-RING, RS38-40 NDLE WASHER, NDLE CLIP 34-36 WASHER, NDLE CLIP 38-40 25A 25B CONNECTOR PLATE, T.V. 26 27A VALVE, THROTTLE 34-36 VALVE, THROTTLE 38-40 O-RING, FUEL SCREW WASHER, FUEL SCREW 29 30 SPRING, FUEL SCREW SCREW, PILOT FUEL 31 O-RING, F.C.B. #1-3-4 32 **JET NEEDLE RS36 BEFORE 12/87** 

JET NEEDLE RS34, 36

**JET NEEDLE RS38, 40** 

**PILOT JET** 

334

33B

33C

Part Number TM36SS51 TM36SS55 TM36SS56 TM36SS57 TM36/69 TM36/71 TM36/73 TM36/75 TM36/27a TM36/28a TM27/05A BSW28/70 M10/56 B401/10 TM27/04 TM29/65 C5 = 0518TM36/06 TM36/39 TM36/75 TM36/59 TM36/51 TM36/42 739-13001 VM20/369 BS32/126 VM26/315 826-03002 TM36/54 CALL YOUR DISTRIBUTOR N133.037 VM12/33 N133.206 604-26003 616-94020 .18-9CHY01 J8-9DZH01 or 9DZH05 J8-9CHY03 or 9CHY10 VM28/486-17.5

No.

35

36

37

38

Description

MAIN JET

FLOAT ASSY

O-RING. DRAIN PLUG

**NEEDLE JET-568** 

39 PIN, FLOAT NEEDLE VALVE ASSY 40 41 O-RING, NEEDLE VALVE FILTER, NEEDLE VALVE 43 MAIN AIR JET (PLUGGED) SCREW, CRANK BRACKÉT LEVER ASSY, T.V. #3 CARB 45 SCREW LEVER 46 PACKING, SHAFT HEXAGON, LOCK NUT 47 48 PLATE, NEEDLE RETAINER 49 50 SCREW, T.V. PLATE 51 SPRING, STARTER SHAFT BALL, STARTER SHAFT PLUNGER, STARTER 54 SPRING, STARTER 55 GUIDE HOLDER, STARTER O-RING, STARTER 56 57 CAP. STARTER STARTER JET 58 59 O-RING, A/P NOZZLE PLUG, A/P NOZZLE 60 PUMP NOZZLE 61 SCREW, START BRACKET 62 63 LEVER, STARTER SHAFT BRACKET, BELL CRANK ADJUST SCREW, A/P LEVER ASSY, BELL CRANK 66 67 HEXAGON NUT, A/P PIN. THROTTLE BELL CRANK 68 ADJUSTER, IDLE 69 70 SPRING, IDLE ADJUSTER CAP, VACUUM FITTING 71 72 SPRING CLIP, VAC. FIT 73 SCREW, NV HOLDER 74 SHAFT ASSY, STARTER PAN HEAD MACHINE SCREW 76 FLAT HEAD MACHINE SCREW 77A SHAFT, THROTTLE B/C #3 SHAFT, THROTTLE B/C #1 SHAFT, THROTTLE B/C #3 77C SCREW, TOP COVER 78 SPRING, THRTL. RTRN. 79 80 LEVER, RTN. SPRING CAP, SHAFT END 81 82 SCREW, AIR FUNNEL 83 HOSE, FUEL CONNECT INLET, FUEL "T" 85 O-RING, FUEL JOINT HOSE, A/P FUEL 86 JOINT, FUEL 87 CLIP. FUEL HOSE 88 SCREW. BRACKET 89 90 **PILOT AIR JET** LEVER, A/PUMP PIN, A/P LOCATE 91 92 O-RING, A/P ADJ. 93 94 LEVER, A/PUMP SPRING, A/PUMP 95 96 PLATE, TOP BRACKET 97 ROD, A/PUMP 98 SPRING, A/P ADJ. SCREW, A/P ADJ. 99 HEXAGON NUT, A/P ADJ. 100 CAP, A/P RUBBER 101 PLATE, LOWER BRACKET 102 103 O-RING, F.C.B. A/P 104A PLUNGER, A/PUMP 8mm 104B PLUNGER, A/PUMP 12mm 105 SPRING, A/P 12mm 106 SCREW, FLOAT BOWL 107 PLUG, DRAIN 108 RING, A/P SPRING

Part Number VM28/254 N100.-604 784-13002-P-4 859-32011 VM30/160 N149.040-2.8 KV/10 VM18/233 BS30/97 C8 = 0512TM36/57 CS = 0514VM28/174 VM18/267 TM36/12 C2-0310 B21/29 B21/28 N151.038 VM16/42 640-12002 N138.198 N106.211 VM17/1002 N124.063 TM29/14 TM36/43 N158.052 N178.656 TM36/37d TM36/48A TM36/31 N2-03-B N138.019 739-55003 N110.209 N148.013 BVK28/128 VM13/216 TM36/34a C2=0508-B C5 = 0514700-17011 700-17012 700-17013 CW2-0408 TM36/46a TM36/33 TM33/36-A VM38/133B 888-44003 791-23018 616-23002 888-4404 792-20014 E100729-BB C2 = 0512-BBS30/97-0.8 TM36/17 BN38/43 B30/205 TM36/18 TM36/45 TM36/35 TM36/44 M12F/46A MC-0316-B N3 = 03-BTM36/64 TM36/36 616-94021 TM36/60 TM36/60a

VM14SC13/89

C2 = 0412-B


VM33/77

E204.040 888-23026

TM36/63

TM36/61

730-06027



109

110


HOSE

LEVER, STARTER CABLE

112 BRACKET, STARTER CABLE

SPRING, STARTER BRACKET

# **TIVIX Series Carbs**



## TMX35/38mm CARBURETORS FOR DIRT BIKES ROADRACING, ATVs

The TMX features a flat slide design in a smooth bore venturi to provide improved throttle response and wider powerband. The float system with independently moving floats, working with a main jet enclosed in a baffle chamber, allows the TMX to perform smoothly without hesitation on the roughest terrain. TMX Series Carburetors are available in 35mm bore sizes for 125cc race engines, and in 38mm bore sizes for use on 250cc race engines.


### STANDARD SETTINGS

CARB NO.	MAIN JET 4/042	PILOT JET VM22/210	JET NEEDLE	THROTTLE VALVE
TM35-1 *(Kit No. TM	350 /1X35-1-k)	20	6EN11-53	999-832-014-6.0
TM38-18 *(Kit No. TN		20	6EJ12-55	999-832-014-3.5
TM38-27		20	6EJ12-55	999-832-014-3.5

\*NOTE: COMPLETE KIT INCLUDES AIR BOOT ADAPTER, INNER THROTTLE CABLE WIRE, CABLE END, MAIN JETS, PILOT JETS, JET NEEDLE, CLAMPS, HOSE AND INSTRUCTIONS.

Mikuni TMX Series Carburetors are intended for off-road riding and racing use only. Not legal for sale or use in California or other locations where similar pollution laws may apply.

# TMX/TMS SERIES CARBURETOR DIMENSIONS (mm)



MODEL DIMENSION	TMX35	TMX38-27	TMX38-18	
А	40	44	47	
В	76			
С	164			
D	62			
TOTAL WIDTH		76		

## IMPORTANT TUNING CHARACTERISTICS

#### JET NEEDLE

The Jet Needle is the tapered rod that is positioned in the throttle valve by the 'E'-Clip. The taper of the needle increases the clearance between the Jet Needle and the fixed Needle Jet outlet as the throttle is opened. As the air flow volume increases past the throttle slide, the fuel volume is also increased to maintain the correct air/fuel ratio.

#### NEEDLE 'E'-CLIP POSITION

The position of the 'E'-Clip in the Jet Needle is used to correct or change the air/fuel ratio between 1/4th and 3/4th throttle valve position. The 'E'-Clip can be raised or lowered on the Jet Needle.To richen the fuel mixture the 'E'-Clip is lowered on the Jet Needle, raising the Jet Needle. To lean the fuel mixture the 'E'-Clip is raised on the Jet Needle.

#### **JET NEEDLES**

To correct the fuel mixture at 1/8th to 1/4th throttle slide position it may be necessary to change the Jet Needle. The Jet Needle will have a series of numbers stamped on it.

Example: 6EJ12-55. The numbers 55 indicate that the outside diameter (O.D.) of the Jet Needle is 2.55mm. A smaller O.D. number gives a richer mixture. A larger O.D. number gives a leaner mixture. Typical Jet Needles available:

TMX35	TMX38
6EN11-58 Leaner	6EJ12-60 Leaner
6EN11-57	6EJ12-59 ▲
6EN11-56	6EJ12-58
6EN11-55	6EJ12-57
6EN11-54	6EJ12-56
6EN11-53	6EJ12-55
6EN11-51 Richer	6EJ12-54
	6EJ12-53 Richer



## TMX35/38 Series Exploded View

MIKUNI TMX SERIES PART LIST No. Description Part Number MIXING BODY CARB TM38SS11 J8-SEE TUNING JET NEEDLE COVER, CARB TOP 776-19014 LOCK NUT, ADJUSTER B30/247 5. CAP, RUBBER VM34/282 ADJUSTER, CABLE VM30/77 0-RING, TOP COVER 616-93009 E-RING, NEEDLE CLIP BS32/126 RING, RETAINING TM38/54 10. ADJUSTER, IDLE STOP 603-25008 11. SPRING, IDLE ADJUST N110209 12. PLUNGER, STARTER ASSY TM38/57 13. SCREW, AIR ADJUSTER 603-36002 14. SPRING, AIR SCREW VM15/112 15. CHAMBER, FLOAT BOWL TM38/48 ۹ 16A. VALVE SEAT, NDLE ASSBLY 786-36004-(3.5) 16B. VALVE SEAT, NDLE ASSBLY 786-36004-A-(1.8) VM22/210-SEE TUNING 17. PILOT JET 25A 4/042-SEE TUNING 18. MAIN JET TMX 25B 23. CAP, FLOAT RETAINER VM26/42 TMS 24. SCREW, TOP COVER CW2=0412 25A. THROTTLE VALVE 999-832-014 25B. THROTTLE VALVE 999-832-017 13 26. SPRING T.V. 730-13019 27. HOSE, VENT 888-24011 . - **6** 28. SCREW. FLOAT BOWL CW2-0308 14 29. HOSE, OVERFLOW 888-23022 30. FLOAT, LEFT SIDE 859-52021 31. 0-RING, DRAIN PLUG BN042/64 32. DRAIN PLUG TM38/44 FLOAT, RIGHT SIDE 859-52020 34. GASKET, FLOAT BOWL TM38/52 27. 27 30 34 0 23 26 16A, 16B 28 29 32 17 TMX ONLY **-** 18

# TMX 38 Oval Slide



## TMX38-59 38mm CARBURETOR

The latest TMX 38-59 38mm Carburetor features a new oval slide design with a unique cut-a-way to provide the best possible throttle response and fuel metering throughout the throttle range. The throttle slide's Chrome surface provides a smooth and easy pull with precise throttle operation.


The fuel float system offers 2 independently moving floats, working with the float needle valve, and a main jet enclosed in a baffle chamber, allowing the TMX38-59 to perform smoothly without hesitation on the roughest terrain. The TMX38-59 Series Carburetor features a 38mm bore size for use on 125cc up to 300cc single cylinder race engines.


The stock Mikuni supplied jetting should cover most applications.

Mikuni TMX38-59 Carburetor 38mm

Mikuni MK-TMX38-48 Rebuild Kit

# TMX38-59 SERIES 38mm CARBURETOR DIMENSIONS (mm)










### Mikuni TMX38-59 Parts List

ITEM		PART NUMBER
1	CARBURETOR ASSEMBLY	TMX38-56
2	HOLDER	TMR36/01-1A
3	RING	925-18001
4	CLIP	TM32/90
5	PLUNGER, STARTER	TM38/77
6	AIR SCREW SET	990-602-017-1A
7	SCREW	N178058
8	HOLDER	TMR38/09
9	SCREW, PAN HEAD	C2=0408
10	PIN, FLOAT	VM30/315
11	NEEDLE VALVE SET	786-36011-3.8
12	SCREW, PAN HEAD	C2=0414
13	SPRING, THROTTLE VALVE	776-19043
14	THROTTLE SCREW SET	990-605-064
15	VENT LINE *See Note	888-23041
16	VENT LINE, BOWL	VM19H1/12
17	FLOAT ASSEMBLY	859-32039
18	O-RING	VM26/227
19	DRAIN PLUG	894-80001
20	JET, NEEDLE (6BFY43-74)	J8-6BFY43-74
21	JET, PILOT (#40)	N224103-40
22	JET, MAIN (#430)	4/042-430
23	THROTTLE VALVE (4.0)	832-42027-4.0
24	O-RING, BOWL	616-93054
25	O-RING, TOP COVER	616-93055
26	PLATE, VENT HOSE HOLDER	VM34/103
27	SCREW, BOWL	C2=0514
28	VENT LINE *See Note	888-23025
29	CLIP	VM38/253
30	RING	925-95009
31	NET, FILTER	TMR38/25
32	PLATE	TMR38/26
33	SCREW	TMR40/04-1B
34	HOLDER	697-08026
35	FLOAT BOWL	TMR38/11-1 J


\*Note: Use VM14/49 BULK VENT LINE





Parts in BOLD are included in Mikuni MK-TMX38-48 Rebuild Kit Parts lined through are not available


# TM33 Parts



PART NUMBER 000-000 = NO AVAILABLE STOCK

MK-8012 Rebuild Kit O-Circled Part IDs are the parts included in Rebuild Kit.

# TM Carburetors



### **FLAT SLIDE CARBURETORS**

Mikuni's TM Series flat slide carburetors deliver notable performance gains over traditional round slide designs. Thanks to the flat slide configuration, air flows faster and more smoothly through the venturi and jet blocks, creating a refined, "smoothbore" effect. This high-velocity airflow increases vacuum at the needle jet, resulting in more precise fuel metering and improved throttle response.


### **POWER JET KITS**

Power Jet Kits are designed for two-stroke engines to enhance mid-range throttle response and supply extra fuel during wide-open throttle conditions. They're especially effective when used with snowmobile clutch setups.

## TM SERIES FLAT SLIDE CARBURETORS

	·								
CARB NO.	SIZE (MM)	N	IAIN JE ( 4/042)		PILOT JET (VM22/210)	NEEDLE JET/SERIES	JET NEEDLE	THROTTLE VALVE	AIR JET
TM24-8001	24		130		15	784-21005-Q-0/454	5N13	832-30005-3.0	None
VM28-418	28		180		15	VM30/46-P-8/175	5DP39	832-33001 2.5	None
TM32-1	32		250		45	785-24001-Q-2/389	5FP17	832-39012 4.0	None
TM34-2	34		280		50	785-24001-Q-2/389	5FP17	832-39012 4.0	None
TM36-2	36		280		50	785-24001-Q-6/389	6FJ40	832-43002a 4.0	None
TM38-85	38		230		22.5	785-24001-Q-2/389	6FJ41	832-43011-4.0	None
TM38-86	38		230		22.5	785-24001-Q-2/389	6FJ41	832-43011-4.0	None
TM33-8012	33 N	1100.604	127.5	VM28/486	37.5	784-241111-P-8/640	5FP96	832-38007-1.5	0.7
TM36-68*	36	66	130	66	12.5	784-13002-P-8/568	9DZH6-50	N/A	1.0
TM40-6*	40	66	165	66	17.5	784-13002-Y-6/568	J8-9DJY01	N/A	1.1

\*For TM36-68 exploded view & parts list see pg. 8




### TM SERIES FLAT SLIDE CARBURETOR DIMENSIONS

MODE NUMBE	- 1		_	TM32 -1	TM33 -8012	TM34 -2	TM36 -2	TM36 -68	TM38 85	TM38 86	TM40 -6
DIMENSION	A	31	33	40	40	40	43	42	47	43	44
(mm)	В	75	82	83	93	83	100	100	100	100	100
	c [	145	135	160	160	160	170	176	170	170	165
	D [	44	44	58	50	58	62	54	62	62	55
TOTAL WIDTI	۱ [	76	76	78	105	78	75	78	75	75	

# TM Replacement

ITEM	# DESCRIPTION	VM28-418	TM32-1	TM34-2	TM36-2	TM38-1 and 3	TM38-85 and 86
1	Complete Starter Assy	VM26/116 (Plunger )	VM29/47	VM29/47	VM29/47	VM29/47	VM29/47
2.	Nylon Ring	VM28/1046	VM28/1046	VM28/1046	VM38/153	VM38/153	VM38/153
3.	Screw W/Lockwasher	CW2 = 0310	CW2 = 0310	CW2 = 0310	CW2 = 0310	CW2 = 0310	CW2 = 0310
4.	Cable Connector	VM28/1042	VM28/1042	VM28/1042	VM38/152	VM38/152	VM38/152
5.	E-Ring	VM20/369	VM20/369	VM20/369	VM20/369	VM20/369	VM20/369
6.	JET NEEDLE	J8-5DP39	J8-5FP17	J8-5FP17	J8-6F J40	J86F J40	J8-6F J41
7.	Throttle Valve	832-33001-2.5	832-39012-4.0	832-39012-4.0	832-43002-4.0	832-43002-4.0	832-43011-4.0
8.	Idle Rod	Not Applicable	Not Applicable	Not Applicable	VM38/159	VM38/159	Not Applicable
9.	Mixing Chamber Body	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
10.	Screw, Jet Block	VM38/132	VM38/132	VM38/132	VM38/132	VM38/132	VM38/132
11.	Washer(Alum)	VM34/274	VM34/274	VM34/274	VM34/274	VM34/274	VM34/274
12.	Jet Block, Left	VM28/1054	VM32/492	VM34/439	<del>VM36/163</del>	VM38/144	TM38/08
13.	Jet Block, Right	<del>VM28/1055</del>	VM32/493	VM34/440	VM36/164	VM38/145	TM38/09
14.	Float Pin	VM30/160	VM30/160	VM30/160	VM30/160	VM30/160	VM30/160
15.	Float Arm	Not Applicable	VM36/15	VM36/15	VM36/15	VM36/15	VM36/15
16.	Cap, Float Guide Pin	VM26/42	VM26/42	VM26/42	VM26/42	VM26/42	Not Applicable
17.	PILOT JET	VM22/210-15	VM22/210-45	VM22/210-50	VM22/210-50	VM22/210-35	VM22/210-22.5
18.	Float	VM28/694	VM24/236	VM24/236	VM24/236	VM24/236	859-52020/52021
19.	Gasket, Float Chamber	VM26/228	VM34/374	VM34/374	VM34/374	VM34/374	VM34/374
20.	Float Chamber Assy	VM26/220 15	TM32/02-60	TM32/02-80	TM32/02-100	TM32/02-100	TM38/138
21.	Plate, Hose Retaining	VM30/113	VM30/113	VM30/113	VM30/113	VM30/113	VM30/113
22.	Screw W/Lockwasher	CW2 = 0416	CW2 = 0516	CW2 = 0516	CW = 0518	CW2 = 0518	CW2 = 0516
23.	O-Ring, Rubber	VM26/227	VM28/254	VM28/254	VM28/254	VM28/254	VM28/254
23a.	O-Ring, Flat Fiber Washer	4/053	4/053	4/053	4/053	4/053	4/053
24.	Drain Plug, Std Aluminum	VM28/817	VM28/253	VM28/253	VM28/253	VM28/253	VM28/253
24a.	Drain Plug, Optional Brass		VM38/08	VM38/08	VM38/08	VM38/08	VM38/08
	Cap, Idle Adjuster	Not Applicable	Not Applicable	Not Applicable	VM35/40	VM35/40	Not Applicable
26.	Packing (Rubber)	Not Applicable	Not Applicable	Not Applicable	N138.077	N138.077	Not Applicable
27.	Nut	Not applicable	Not Applicable	Not Applicable	N2 = 04	N2 = 04	Not Applicable
28.	Idle Adjuster	Not Applicable	Not Applicable	Not Applicable	603-68001	603-68001	Not Applicable
29.	Nut	Not Applicable	Not Applicable	Not Applicable	BDC36/35	BD36/35	Not Applicable
30.	Rubber Cap	VM26/46	VM18/228	VM18/228	VM18/228	VM18/228	Not Applicable
31.	Screw W/ Lockwasher	CW2 = 0412	CW2 = 0412	CW2 = 0412	CW2 = 0412	CW2 = 0412	CW2 = 0412
	Cable Adjuster	M18F/43a	VM36/83	VM36/83	VM36/83	VM36/83	VM36/83
33.	LockNut	B30/247	B30/247	B30/247	B30/247	B30/247	B30/247
34.	Mixing Chamber Top	<del>776-15001</del>	<del>776-17001</del>	<del>776-17001</del>	776-19002	776-19002	776-19001
	Gasket, Top	VM28/1045	VM32/495	VM32/495	VM38/127	VM38/127	VM38/127
36.	Throttle Valve Spring	730-15001	730-15004	730-15004	730-16003	730-16003	730-16003
	NEEDLE JET	VM30/46-P-8(175)	785-24001-Q-2(389)	785-24001-Q-2(389)	785-24001-Q-6)	785-24001-Q-2(389)	785-24001-Q-2(389)
38.	Ring, Main Jet (Assy)	VM28/429	VM34/454	VM34/454	VM34/454	VM34/454	TM34/36
39.	MAIN JET	4/042-180	4/042-250	4/042-280	4/042-280	4/042-290	4/042-230
40.	O-Ring	VM24/559	KV/10	KV/10	KV/10	KV/10	KV/10
41.	Needle Valve	VM24/557-2.5	786-46001-3.3	786-46001-3.3	786-46001-3.3	786-46001-3.5	786-46001-3.5
42.	Plate, Needle Valve	VM24/560	VM24/560	VM24/560	VM24/560	VM24/560	VM38/29
43.	Screw	C2 = 0406	C2 = 0406	C2 = 0406	C2 = 0406	C2 = 0406	C2 = 0406
44.	Vent Hose	888-23008	888-24001	888-24001	888-24001	888-24001	888-24007
45.	Gasket, Front Cover	VM28/1044	VM38/126	VM38/126	VM38/126	VM36/166	VM38/126
46.	Front Body, Air Intake	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
	Bolt	Not Applicable	Not Applicable	Not Applicable	Not Applicable	BV15/27	Not Applicable
48.	Screw	VM38/133-B	VM38/133-B	VM38/133-B	VM38/133-B	VM38/133-B	VM38/133-B
	Air Screw, Pilot	VM20/584	VM24/622	VM24/622	VM24/622	VM24/622	VM24/622
	Spring, Pilot Air Screw	M12F/46a	M12F/46a	M12F/46a	M12F/46a	M12F/46a	MI2F/46a
	Washer, Pilot Air Screw	Not Applicable	VM12/33	VM12/33	VM12/33	VM12/33	VM12/33
	O-Ring, Pilot Air Screw	Not Applicable	N133.037	N133.037	N133.037	N133.037	N133.037
	MAIN AIR JET	BS30/97-1.8	2.5 On Body	2.5 On Body	2.5 On Body	2.5 On Body	2.5 On Body
	Overflow Hose	888-23007	888-23014	888-23014	888-23014	888-23014	VM24/328
	Starter Jet	VM17/1002-15	VM17/1002-60	VM17/1002-80	VM17/1002-80	VM17/1002-100	VM17/1002-40
	Idle Stop Screw	603-27002	603-16003	603-16003	Not Applicable	Not Applicable	603-16003
	Spring Idle Screw	VM15/112	VM24/556	VM24/556	Not Applicable	Not Applicable	VM24/556
		VM14/75	BV32/04	BV32/04	Not Applicable	Not Applicable	BV32/04
58.	O-Ring	V IVI 14/75	DV3Z/U4				





# VM Carburetors



### MIKUNI VM ROUND SLIDE SINGLE CARBURETORS

Mikuni VM Round Slide Carburentors have proven themselves as the most popular carburetors in the sport as the performance standard for use in motorcycle and ATV applications for motocross, enduro and trail riding, flat track racing and road racing on both 2-stroke and 4-stroke engines.

Performance features include a large selection of bore sizes for increased fuel mixture flow to match engine modifications. And the VM Series offers a wide range of tuning components to allow precise fuel mixture metering in any application, at any throttle setting, under any riding condition.

ROUND SL	IDE SING	LES MIKUN	II CARBUR	ETOR STAN	DARD SP	ECIFICATIO	NS	
CARB NO.	SIZE (MM)	MAIN JET (4/042)	PILOT JET (VM22/210)	NEEDLE JET (Series No.)	JET NEEDLE	THROTTLE VALVE (Part No.)	MAIN AIR JET (Part No.)	NEEDLE VALVE (Part No.)
VM18-144*	18	70	30	O-0 (145)	4F18	1.0 (VM18/158)	2.5 BODY	1.5 (VM15/172)
VM20-273*	20	180	22.5 (M28/1001)		4J13	2.0 (VM20/491)	0.5 (VM13/04)	1.5 (VM15/172)
VM22-133*	22	100	30	O-6N-/8 N-6 (239257(332)	4D20	2.0 (VM26/21)	2.5 BODY	2.0 (VM26/26)
VM24-512	24	210	40	N-8 (864)	5L14-4	1.5 (VM26/21)	0.8 (MD13/24)	2.0 (VM26/26)
VM26-606	26	190	22.5 (M28/1001)	O-0 (332)	5E75	1.5 (VM24/361)	0.5 (VM13/04)	2.5 (VM26/26)
VM26-8074	26	190	60	N-8 (169)	5F21	2.50 (VM28/56)	0.5 (BS30/97)	2.5 (VM26/26)
VM28-49	28	200	60	N-8 (169)	5F21	2.5 (VM28/56)	0.5 (BS30/97)	2.5 (VM26/26)
VM30-83	30	250	40	P-5 (159)	6F5	2.5 (VM34/110)	2.0 (BS30/97)	3.3 (VM34/39)
VM32-193*	32	200	35	Q-6 (159)	6DP17	3.0 (VM32/65)	2.0 (BS30/97)	3.3 (VM34/39)
VM32-33	32	200	35	Q-6 (159)	6DP17	3.0 (VM34/110)	2.0 (BS30/97)	3.3 (VM34/39)
VM34-168*	34	260	35	Q-2 (159)	6DH4	2.5 (VM34/110)	2.0 (BS30/97)	3.3 (VM34/39)
VM34-275*	34	260	35	Q-2 (159)	6DH4	2.5 (VM32/65)	2.0 (BS30/97)	3.3 (VM34/39)
VM36-4	36	310	35	Q-5 (159)	6FJ6	2.5 (VM36/36)	2.0 (BS30/97)	3.3 (VM34/39)
VM38-9	38	330	30	Q-2 (166)	6DP1	2.5 (VM38/24)	0.5 (BS30/97)	3.3 (VM34/39)
VM44-3	44	310	35	AA-5 (224)	7F7	2.5 (VM44/23)	0.5 (BS30/97)	3.3 (VM34/39)

#### NOTES:

- VM18-144, VM16-159, CLAMP ON TYPE VM20-273, YSR50 FLANGE TYPE VM22-133, FLANGE TYPE

- VM32-193, RIGHT SIDE IDLE SCREW (MATCH TO VM32-33)
- All VM26 thru VM44mm, SPIGOT TYPE
- VM34-168, 11.5 MM. BELL, LG. FUEL INLET
- VM34-275, RIGHT SIDE IDLE SCREW (MATCH TO VM34-168)




## VM18-144 Exploded View


Part Number No. Description RUBBER CAP, THROTTLE CABLE VM18/67 2. CABLE ADJUSTER M21/14 3. NUT, CABLE ADJUSTER B30/247 TOP, MIXING CHAMBER VM16/40 SPRING, THROTTLE VALVE VM18/170 CLIP, JET NEEDLE RETAINING VM18H1/38 E-RING, JET NEEDLE POSITIONING VM20/369 JET NEEDLE J8-4F18 THROTTLE VALVE (SLIDE) VM18/158-3.0 RUBBER CAP, STARTER PLUNGER VM20/455 FITTING, STARTER PLUNGER VM20/456 SPRING, STARTER PLUNGER VM16/42 (14) STARTER PLUNGER VM18/144 13. SPRING PLATE, STARTER LEVER VM18/151 14. STARTER LEVER VM18/215 WASHER, STARTER LEVER BV26/118 16. 17. NUT, CLAMP BOLT N1=05 (16) SEALING RING, RUBBER VM18/326 RING, INSULATOR VM18/327 19. PILOT JET VM22/210-30 VM15H1/17-0-0 NEEDLE JET 21. MAIN JET 4/042-80 GASKET, FLOAT BOWL VM17/161 23. FLOAT BOWL VM18/161 24. SCREW, FLOAT BOWL CW2=0414 **(6)** AIR ADJUSTING SCREW VM20/305 7 A B SPRING, AIR ADJUSTING SCREW VM15/112 SPRING, IDLE ADJUSTING SCREW VM15/112 **IDLE ADJUSTING SCREW** VM18/164 (18) **@** 30. BOLT, CLAMP VM16/65 WASHER, NEEDLE VALVE VM15/07 NEEDLE VALVE & SEAT ASSY. VM15/172-1.5 (21) 33. FLOAT VM17/159 34. PIN, FLOAT BV26/22 HOSE OVERFLOW VM13/06 (ES)-

### VM SERIES ROUND SLIDE CARBURETOR DIMENSIONS (mm)

MODEL	VM18	VM20	VM22	VM24	VM26	VM28	VM30	VM32	VM34	VM36	VM38	VM44
Α	CLAMP ON 22 ID	FLANGE 50.8 BOLT CTR	FLANGE 49 BOLT CTR	35	35	35		40		4:	3	52
В	67	66	85	80	93	93	93	102	93		116	
С	108	115	114	116	122	120	137	142	137	152	154	193
D	32	43	43	43	44	44		58		6	2	70
TOTAL WIDTH	61	76.5	82	82	82	82		83			79	



# VIVI Replacement



# Mikuni VM Spigot Mount Carburetor Exploded View





MK-404 Carb Tool Kit MK-403/1 Main Jet Hex Tool (included in Kit)




#### VM26 Rebuild Kit Part No. MK-606

Kit Parts VM26/26 VM26/25 VM20/492 BN042.64 VM14/73 VM15/11 603-16002 BV32/04 VM26/197 VM20/369 VM26/57 VM26/46 CW2=0416 Desciption
Needle Valve Seat 2.5
Washer, Needle Valve
Bowl gasket
Drain Plug Gasket
Air Screw
O-Ring, Air Screw
Spring, Air Screw
Idle Screw
O-Ring, Idle Screw
Spring, Idel Screw
E-Clip, Jet Needle
Gasket, Top Cover
Rubber Cap, Cable Guide
Float Bowl Screws (4)







VENT HOSE VM14/49



II EM NOMBER ANG DESCRIPTION	I VM26 VM28	VM30	VM32	VM34	VM36	VM38	VM40	VM44
1. RUBBER CAP, throttle cable		<b>\</b>	→ VM26/46	<b>Y</b> 9	<b>A</b>			
2. CABLE ADJUSTER		<b>\</b>	→ M21/14	<b>\</b>	<b>^</b>			
3. LOCKNUT, cable adjuster		<b>\</b>	► B30/247	<b>V</b>	<b>A</b>			
4. TOP, mixing chamber	VM26/56		VM34/27	7	VM3	VM36/09	VM44/05	-/05
5. GASKET, mixing chamber top	VM26/57		VM34/29	6	VM3	VM36/06		
6. SPRING, throttle valve	VM28/257	VM34/50		VM34/55	1/55		VM44/13	-/13
7. PLATE, spring seat	VM28/132		VM34/31	_	VM3	VM35/09	VM44/09	60/-
8. CLIP, needle positioning		<b>\</b>	▼ VM20/369	<b>V</b> 60	<b>A</b>		BS32/126	126
9. NEEDLE	#5 Series		#6 Series	Si			#7 Series	sries
10. THROTTLE VALVE (SLIDE)	VM28/56		VM34/110	0	VM36/36	VM38/24	VM40/02	702
11. NEEDLE JET	VM28/86(182) VM30/38(169)		VM34/05 159	159		VM34/17(166)	VM44/10(224)	224)
12. RUBBER CAP, starter plunger		<b>\</b>	→ VM20/455	→ 99	<b>*</b>			
13. FITTING, starter plunger	VM26/116				VM20/456			
14. LEVER, starter	VM28/135 VM28/497		VM28/124	24	VM3	VM32/53	VM36/58	1,58
15. SPRING PLATE, starter level	VM26/09				VM32/17	2/17		
16. SPRING, starter plunger		<b>\</b>	✓ VM16/42	2	<b></b>			
17. PLUNGER, starter					VM18	VM18/144		
18. BODY, mixing chamber								
19. GASKET,float bowl	VM28/129		VM30/103   999-631-010	9-631-010	VM3	VM36/20	VM36/20	,/20
20. BAFFLE PLATE, float bowl			VM34/72	2	VM3	VM36/40	VM44/12	./12
21. PILOT JET		<b>V</b>	► VM22/210	<b>Y</b> 0	•			
22. PIN, float arm hinge		<b>\</b>	► BV26/22	<b>V</b>	<b>A</b>			
23. ARM, float	VM28/166		VM34/73	3		VM36/15	3/15	
24. FLOAT	VM28/164		VM34/61	1		VM24/236	/236	
25. BOWL, float			VM34/68	8	VM36/07	20/9	VM44/04-80	)4-80
26. WASHER, main jet plug	VM28/134		4/053				VM28/134	/134
27. DRAIN PLUG, float bowl	VM28/133		VM34/42	2	VM28/253	VM38/08	VM28/133	/133
28. AIR JET		*	→ BS30/97	<b>Y</b> /	<b>^</b>			
29. AIR ADJUSTING SCREW		<b>Y</b>	<b>→</b> VM20/214	<b>4</b> ★	<b>^</b>			
30. SPRING, air adjusting screw		<b>\</b>	<b>→</b> M12F/46A	<b>→</b> ∀(	<b>^</b>			
31. SPRING, idle adjusting screw		<b>\</b>	M20/11	<b>\</b>	<b></b>			
32. IDLE ADJUSTING SCREW	VM24/224	VM28/142	VM24/224	54	VM22/171	2/171	VM24/224	/224
33. WASHER, needle valve	VM26/25		B34/52	0.8, 1.0				
34. NEEDLE VALVE & SEAT ASSY.	VM26/26		VM34/39	6		٠	or VM38/11-3.5	/11-3.5
35. RING, main jet	VM28/228	VM36/17					VM28/228	/228
36. MAIN JET		<b>V</b>	4/042	V	<b>A</b>			
37. PLATE, vent tube anchor	VM15/164	<b>\</b>	— <b>V</b> M28/79	<b>Y</b> 6	<b>^</b>			
38 SCBEW float bowl	CW2=0416		CW2=0518		CW2=0516	CW2=0518	0518	

# Super BN Carbs



# SUPER BN SERIES SQUARE PUMP TYPE

Our High Performance Super BN Carburetors were specially designed to meet the needs of high horsepower racing watercraft. We have achieved greater air flow and fuel flow through extensive testing to provide maximum output. Special needle valves and springs give optimum pop-off with larger high and low speed jets. Super BN Series Carburetors feature improved air flow, higher capacity fuel pump, externally adjustable metering screws and replaceable fixed jets for easy high and low speed tunina.



- BN34-28-8010 STANDARD 34mm Replacement
- BN38-34-8113 Performance single 38mm to replace most standard BN or Super BN carbs. Features a Viton 2.0 needle valve, extended throttleshaft for dual or triple applications, #65 (slow) jet #107.5 main (high) jet, no butterfly choke, primer fitting and owners manual.
- **BN44-40-8067** Performance single 44mm for most sit-down models requiring larger jets. Features a Viton 2.5 needle valve, extended throttle shaft for dual or triple applications, #120 pilot (slow) jet, #140 main (high) jet, no butterfly choke, primer fitting and owners manual.
- **BN44-40-43** Original equipment replacement for Yamaha Superjet. Features standard stock jetting, butterfly choke, and 44mm main bore.
- BN44-40-8052 Performance single 44mm carb with extended throttle shaft to make dual kits. Designed to give maximum performance with a single carb. Features a Viton 2.3 needle valve,#100 pilot (slow) jet, #125 main (high) jet, primer type cold starter fitting (no butterfly choke), and angled fuel fittings and instruction manual.



### **PRO RACING SUPER BN46 SERIES**

The Super BN46 features a large 48mm intake tapering to a 42mm venturi and controlled by a 46mm butterfly valve. This carb comes to you ready to race. Note: Bolt pattern is same as BN44, some manifold porting may be necessary for maximum air flow.

 BN46-42-8002 Performance single 46mm carb with extended throttle shaft to make dual kits. Designed to give Pro Level Racing performance. Features a Viton 2.5 needle valve, #120 pilot (slow) jet, #150 main (high) jet, primer type cold starter fitting (no butterfly choke), angled fuel fittings and owners manual.



#### **CURRENT BN I SERIES TYPE CARBURETORS**

- **BN40I-38-24** Original equipment on the 98 SeaDoo GTI, GTS, GS 167.5 hi-speed jet, 70 low-speed jet, 1.5 needle valve and 95g spring.
- BN401-38-26 Original equipment on the 98 SeaDoo GSX, SPX -MAG
- **BN40I-38-27** Original equipment on the 98 SeaDoo GSX, SPX -PTO 140/142.5 hi-spd jet, 67.5 low-spd jet, 1.5 needle valve and 95g spring.
- **BN46I-42-B4** Original Dual Carbs on the 98 SeaDoo GSX, GTX -LTD 162.5 hi-spd jet, 77.5 low-spd jet, 2.0 needle valve and 95g spring.

# Accessories

### SUPER BN NEEDLE VALVE KITS

- MK-BN38NV Needle valve replacement kit for Super BN38, contains a 2.0 needle valve and 115 gram spring with approx. 32 lbs. pop off and an 80 gram spring for 21 lbs. pop-off. Instructions included.
- MK-BN44 NV 1 Needle valve replacement kit for Super BN 44, contains a Viton 2.3 needle valve and 65 gram spring for 15 lbs. pop-off. Instructions included.
- MK-BN44 NV 2 Needle valve replacement kit for High Performance Super BN 44 and 46, contains a 2.5 needle valve and 80 gram spring for 14 lbs. popoff. Instructions included.



All parts needed to rebuild your Super BN carb (Does not include needle valve, see needle valve part numbers). Exploded views of Rebuild Kits found on pages 26-28.

- MK-BN38/44 SPR 38/44/46mm rectangle pump body carb, and for 38/40mm "I" type.
- **MK-BN46I** 46mm "I" type.
- MK-BN38/44 -38/44mm early style round body carb.
- MK-BN44I-YAM Yamaha G.P. PWC

#### **COUPLING KITS**

 MK-BN/001 Allows two carbs to be connected for dual carb setups.



# THROTTLE SHAFT REBUILD KITS

• MK-BN/038 TV for SBN 38MM

GENUINE COMPONENT

- **MK-BN/044 TV** for SBN 44MM
- MK-BN/046 TV for SBN 46MM

Kit includes butterfly valve, shaft, seals, screws, instructions.

## SUPER BN OWNERS MANUAL

• **MK-BN/004** Provides details on carb tuning and service.

#### **BN POP OFF PUMP**

- MK-BN PMP 30 lb. gauge gives accurate pop-off pressure readings. Our high pressure pump is durable and easy to use. This pump is a must for tuning your BN carb
- MK-BN PMP 60 60 lb. gauge and pump.
- MK-BN PMP 100 100 lb. gauge and pump allow for readings on many stock carbs with small needle valves and strong springs.





#### **UNIVERSAL JET BOXES**

- MK-BN/053 36 Compartment Plastic Jet Box
- KHS-02416 Compartment Plastic Jet Box

# **TUNING COMPONENTS FOR SUPER BN**Pilot (slow speed) Jets

N100.606-Sizes 50 through 150 in increments of 2.5.

### Main (high speed) Jets

N102.221-Sizes 50 through 200 in increments of 2.5.

## Needle Valve Assembly (solid needle, Viton)

786-35015-Sizes 1.5, 2.0, 2.3 and 2.5.

**Needle Valve Arm Springs** are available in different spring rates to vary your pop-off pressure.

Part Number	Rate	Length
730-03030	65 grams	14.6mm
730-03033	80 grams	14.6mm
730-03027-T	95 grams	15.7mm
730-03027	115 grams	16.7mm

# **BN** Rebuild Kits

## **BN REBUILD KIT Round Pump Carb Type** MK-BN38/44

For BN34, BN38, & BN44 Round Pump Styles (Kit Includes Circled Items 1-15)

BZ25/26 O-Ring (BN44 Only) This drawing is of BN44 carb; however, all parts Washers called out also fit BN34 & BN38 carbs, except Speed Screw those noted otherwise. 1 B30/305 O-Ring (I.D. 4.8mm) ② BZ25/26\_O-Ring (I.D. 6.07 mm) Low Speed Washers-Screw (Alum.) (3) VM26/25 Washer, N.V. (Red) VM 26/26

(4) BN44/130 Gasket (Black)

BN44...2.0 Seat BN38...1.5 Seat BN34...2.5 Seat Needle & Valve Seat Assy: For Viton-tip needle, refer to pg. 31. (13) BN38/86 Spring

(5) BN38/314 Check Valve (Teflon-tan) C6=0307

Idle

(14) VM30/97 Pin, Arm C6=0307 Screw

(6) BN38/02 Main Diaphragm Assembly

(15) BN38/534 Arm

(7) BN38/525 Gasket, 2 pcs

Regulator Body Assembly

(8) BN38/469 Gasket, Pump (Clear)

9 BN38/467 Diaphragm, Pump (Clear)

Pump Body

10 BN38/526 Gasket. Pump (Black)

(11) BN38/468 Check Valve (Clear)

Cover, Pump Body

BN38/324 Screw

(12) BN38/12 Packing Cover, Fuel Inlet (Rubber-Black) BN38/11

BN38/320 Screw, Phillips Head (6)

or BN34/90 Screw, Allen Head-Stainless (6)




### CARBURETOR REBUILD KITS

Mikuni offers a rebuild kit that contains all the necessary O-rings, gaskets, check valves, diaphragms, washers and springs to completely rebuild your carb and make it run like new again. See exploded view for details of each kit.

- MK-BN38/44SPR for Super BN
- MK-BN38/44 for Standard BN Series BN38 and BN44. (Does not include needle valve.)


# SBN/BNI Parts



# **BNI Rebuild Kits**

# BN 46 I CARB REBUILD KIT MK-BN46I

No.	Part No.	Description
1.	BN46I/13	Gasket, Pump
2.	BN46I/14	Diaphragm, Pump (Clear)
3.	616-73002	O-Ring
4.	BN46I/11	Check Valve (2)
5.	BN34/125	Grommet (2)
6.	BN46I/34	Diaphragm, Damper
7.	BN46I/15	Diaphragm, Damper (Clear)
8.	616-73003	O-Ring
9.	BN44/146	Filter, Fuel
10.	B30/305	O-Ring, Hi Speed (2)
11.	MD12/16	O-Ring, Low Speed
12.	KV/10	O-Ring, Needle Valve
13.	BN34/123	Gasket, Valve Body
14.	BN34/107	Check Valve (Clear)
15.	VM30/97	Pin, Arm
16.	730-03034	Spring, Arm 95 gram
17.	BN38/534	Arm (Stainless)
18.	BN44/145	Diaphragm assy., Main



BN34/120-35

BN46I/xx

19. 20.

## **BN46 I Replacement Parts**

Cover, Pump

Screw w/ washers (4)\*\*

Diaphragm, Acclr. Pump


21.	BN46I/49	Body Assy., Pump
22.	BN38I/40	Stop Screw, Idle
23.	BN38/39	Washer, Aluminum (3)
24.	BN38/344	Spring (2)
25.	999-904-006	Cap, Hi Speed Adjuster
26.	604-25017	Adjuster, Hi Speed
27.	BN38/172	Washer, Aluminum (2)
28.	BN38/343	Spring, Low Speed
29.	BN38/477	Adjuster, Low Speed
30.	N102.221-size	Jet, Hi Speed
31.	N100.606-size	Jet, Low Speed
32.	BV15/121-05-GG	Screw
33.	BN34/108-GG	Plate, Valve
34.	BN44/165	Valve Body Assy.
35.	C5=0414-G	Screw (2)
36.	786-35018-size	Needle Valve Assy.
37.	BN34/117-GG	Plate, Needle Valve rtnr
38.	CW2=0307-G	Screw w Washer
39.	C6=0308-G	Screw
40.	BN44/147	Cover (Stainless)
41.	C2S=0514	Screw (4)**

## \*\*Tightening Torque:

BN40I/22

42.

Part No. 19: 4.5 N/m (45 Kg/Cm) Part No. 41: 3.5 N/m (35 Kg/Cm)



3

5

5

# Snowmobile

### POWER JET KIT MK-406


Power Jet
Kits are
used in
2-stroke
engine
applications
to improve
mid-range
throttle
response
and add



additional fuel to wide open throttle running conditions, especially with snowmobile clutches. Kit may be installed easily on Mikuni TM and VM Series Motorcycle and Snowmobile carburetors.

## **Cable Starter Kit\*** MK-412 For remote mounting of starter knob.

\*NOTE: Snowmobile Carburetors come with cable



### **SNOWMOBILE CARBURETORS**

Mikuni offers specially prepared carburetors designed to meet the unique demands of snowmobiles. Features are special throttle valve and needle valve designs better suited to colder, more dense air and constant throttle settings.

#### **SNOWMOBILE SINGLE CARBS**

CARB NO.	SZ. MM.	MAIN JET (4/042)	PILOT JET (VM22/2/0)	NEEDLE JET (Series No.)	JET NEEDLE	THROTTLE VALVE (Part No.)	MAIN AIR JET (Part No.)	NEEDLE VALVE (Part No.)
VM30-164 STD	30	270	35	Q-O 159	6DH2	2.0	2.5 BODY	1.5
VM32-282	32	280	35	Q-O 159	6DH4	2.5	2.5 BODY	1.5
VM34-389	34	330	30	Q-O 159	6DH3	2.5	2.0 BS30/97	1.5
VM38-21	38	360	40	Q-O 166	6DH3	2.5 VM38/24	2.5 BODY	1.5 VM28/163
VM44-7 DISCONTINUED	44	540	35	AA-5 224	7DH2	1.5 VM40/02 Aluminum	0.7 BS30/97	1.5 VM28/163
TM38-102 TM STYLE	38	340	25	Q-2 389	6FJ40	4.0 832-43011	2.5 BODY	1.5 832-43011
TM38-101 TMX STYLE	38	340	25	R-1 FIXED	6EJ12-57	4.0 999-832-014	2.5 BODY	1.8 786-36004-A

### **RUBBER MOUNTING FLANGES**


**NOTE:** Dimensions are millimeters.

PART NUMBER	8.5 MM BOLT HOLE	CARB BORE SIZE	CARB SPIGOT DIAMETER	FLANGE THROAT DEPTH	TYPICAL CARB SIZE
M-VM28-200K	60	30	35	28	26-28
990-842-046	57	30	37	23	26-28
990-842-007	75	34	40	32	30-34
M-VM34-200K	60	36	40	25	30-34
M-VM36-200K	70	40	43	25	36-40
I-VM38-200-1	75	40	43	28	36-40
M-VM40-200K	75	46	52	32	40-44
I-VM44-200-1	84	46	52	26	40-44
KHS-004	70-75	40	43	28	36-40
HS42/018-42K	70-75	42	45	25	42
HS42/062-42K	70-75	42	45	25	42
HS42/062-45K	70-75	45	48	25	45
HS42/018-45K	70-75	45	48	25	45
HS42/062-48K	70-78	48	51	25	48




# TUNING/JETTING

## Functional Range Effectiveness of Tuning Parts in Relation to the Throttle Valve Opening (Approximation)



## **Main Jets**

Description	Part No.	Size Range
Large Hex	4/042 (Fits VM, TM)	50 - 250 (Increments of 5) 250 - 250 (Increment 10) 500 - 640 (Increment 20) 650, 660, 680, 700, 710, 720
Small Hex	M10/14	40 - 200 (Increment 5)
Large Round	N100.604 (Fits RS and HS)	50 - 200 (Increment 2.5) 200 - 215 (Increment 5) 215 - 240 (Increment 10)
Small Round	N102.221 (Fits SBN)	30 - 190 (Increment 2.5) 190 - 220 (Increment 5) 230, 240, 250
Press - In	N208.099 Press-In OEM Application	110 - 180 (Increments of 2.5) Needs O-Ring #616-12001
Large Thread	VM11/22	50 - 180 (Increments of 5)



PARTS STAMPING This marking on a jetting part is your quality assurance guarantee it is a genuine Mikuni component. DO NOT ACCEPT SUBSTITUTES.

## **Pilot Jets**

Description	Part No.	Size Range
VM, TM, TMX	VM22/210 Fits VM, TM, TMX	10 - 60 (Increments of 2.5) 60 - 110 (Increment 5) 100 - 140 (Increment 10)
RS, HSR	VM28/486 Fits RS, HS	10 - 70 (Increment 2.5)
OEM TMX, BSR Rhino	N224.103 For CR, RM. YZ, KX	10 - 70 (Increment 2.5)
OEM	N151.067 Non-Bleed, OEM Applications	30 - 60 (Increment 2.5)
Bleed Type	BS30/96	30 - 60 (Increments of 2.5)
B-Type Butterfly Carb	N101.043	30 - 100 (Increments of 2.5) 105 - 160 (Increments of 5)
Super BN	N1 00.606 Low Speed Jet for SBN	30 - 160 (Increment 2.5)
OEM Carbs, Banshee	M28/1001 Banshee OEM OEM Applications	15 - 70 (Increment 2.5)

## Air Jets Starter Jets



BS30/97 For Most Mikuni's .5 thru 2.0


Increments of .1


VM 17/1002 Controls enrichener on TM carburetors 20 thru 120 and 1.0, 1.5, 2.0

# Components

<b>Needle J</b>	ets		leaner	Available Needle Jet Sizes	richer
Carburetor	Part No.	Series			
VM30 - VM36 Round Slide	VM34/05 (990-793-004 from P-0 up)	159	1	6, 8; <b>O</b> -0, 2, 4, 5, 6, 8; 4, 5, 6, 8; <b>Q</b> -0, 2, 4, 5, 6, 8; <b>R</b> -0, 2, 4, 5	, 6, 8.
VM38 Round Slide	VM34/17 (990-793-003 from P-0 up)	166	1	<b>O</b> -0, 2, 4, 5, 6, 8; 4, 5, 6, 8; <b>Q</b> -0, 2, 4, 5, 6, 8; <b>R</b> -0, 2, 4, 5	, 6, 8.
VM28 - VM30 Small Body	VM30/38	169		6, 8; <b>O</b> -0, 2, 4, 5, 6, 8; , 4, 5, 6, 8.	
VM28 Round Slide TM28 Flat Slide	VM30/46	175	<b>O</b> -0, 2	, 4, 5, 6, 8; <b>P</b> -0, 2, 4, 5, 6, 8.	
VM30 - VM36 Round Slide Body	VM32/19	176	<b>O</b> -2, 4	, 5, 6; <b>P</b> -2, 4, 5, 6, 8.	
VM26 Round Slide Body	VM28/86	182	<b>N</b> -6;	<b>O</b> -0, 2, 4, 5, 6, 8; <b>P</b> -0, 2.	
VM40 - VM44 Round Slide Body	VM44/10	224	1 '	4, 6, 8, 9; <b>AA</b> -0, 1, 2, 4, 5, 6, 8, 9; 2, 3, 5, 9; <b>CC</b> -0, 5, 9.	
Yamaha OEM	VM38/41	247	1 '	, 4, 6, 8; <b>P</b> -2, 4, 5, 6, 8; , 4, 5, 6, 8; <b>R</b> -0, 2, 4, 6, 8.	
TM32 - TM38 Flat Slide Body	785-24001	389	1 '	, 4, 6, 8; <b>P</b> -2, 4, 5, 6, 8; , 4, 6, 8; <b>R</b> -0, 2, 4, 6, 8.	
VM38 (Same 166 OEM) OEM Round Slide	785-23005	480	1	<b>O</b> -0, 2, 4, 5, 6, 8, 9; <b>P</b> -0, 1, 2, 4, 5, 6, 7, 4, 5, 6, 8; <b>R</b> -0, 1, 2, 4, 5, 6, 8.	, 8, 9;
RS34 - RS40 HS40 - TM36	784-13002	568	1 ' '	<b>P</b> -0, 2, 4, 5, 6, 8; <b>Y</b> -0, 2, 4, 5, 6, 8; 4, 5, 6; <b>BB</b> -0.	
TMX OEM Series Flat Slide Body	784-13005	633	<b>S</b> -4, 6	7, 8; <b>T</b> -0.	
TM33 Flat Slide Body	784-241111	640	<b>P</b> -4, 6	8; <b>Q</b> -0, 2.	
HSR42-48 Roller Flat Slide	784-430000	723	<b>Y</b> -2, 4	6, 8; <b>Z</b> -0.	
TMX-X OEM Series	784-410002	914	<b>S</b> -2, 4	7, 8, 9; <b>T</b> -0.	
TM24 Flat Slide	784-21005	454	P-8, <b>G</b>	<b>Q</b> -0, <b>Q</b> -8.	

## **Needle & Seat Assemblies**






# TUNING/JETTING

The Jet Needle controls the fuel mixture in the midrange (1/4-3/4) throttle position. The taper of the needle determines the amount of fuel. For example: the thinner the diameter of the needle, the more fuel will be drawn. The thicker the diameter of the needle, the less fuel can be drawn.

### **TWO TYPES OF NEEDLES**

**Single Taper Type** 



Taper Point (2)

### **NEEDLE TAPER DIAMETER DIMENSION CHART**

Taper Point (1)

D-1 through D-5 indicates diameter (mm) at each point.

	Α	В	D-1	D-2	D-3	D-4	D-5
4E1	50.3	28.0	2.515	2.515	2.345	2.127	1.924
4J13	50.2	24.0	2.513	2.513	2.230	1.800	1.400
4L6	50.3	24.5	2.515	2.515	2.178	1.660	1.190
4J11	41.5	21.3	2.512	2.506	2.188	1.776	

D-1 through D-6 indicates diameter (mm) at each point.

	Α	В	D-1	D-2	D-3	D-4	D-5	D-6
5F3	58.0	27.4	2.519	2.519	2.419	2.135	1.863	
5EJ11	60.3	28.5	2.515	2.515	2.515	2.241	1.839	1.420
5FL11	60.3	28.2	2.518	2.518	2.438	2.175	1.740	1.256
5FL14	58.0	28.0	2.520	1.520	2.440	2.170	1.735	
5FL7	58.0	28.0	2.518	2.518	2.440	2.170	2.170	1.735
5DP7	57.6	26.4	2.512	2.512	2.440	2.259	1.580	
5J6	58.0	27.5	2.518	2.518	2.340	1.890	1.450	
5L1	58.0	27.0	2.518	2.518	2.330	1.811	1.297	
5 <b>J</b> 9	58.0	27.0	2.522	2.520	1.432	1.996	1.505	

D-1 through D-6 indicates diameter (mm) at each point.

	Α	В	С	D-1	D-2	D-3	D-4	D-5	D-6
6F5	62.3	38.1	19.0	2.515	2.456	2.454	2.364	2.098	1.840
6F4	62.3	32.0	19.4	2.515	2.442	2.436	2.206	1.939	1.678
6F8	62.3	34.0	21.5	2.512	2.512	2.386	2.214	1.945	1.688
6F16	64.6	31.2	18.4	2.520	2.404	2.400	2.201	1.941	1.679

## SERIES TYPE APPLICATION


#4	All 18mm Carburetors 22mm and 24mm Flange
#5	26mm-32mm Spigot 28mm-34mm Flange
#6	30mm-38mm Spigot
#7	40mm and 44mm Spigot
#8	HSR 42/45 Carbs
#9	RS and HS Carbs

D-1 through D-6 indicates diameter (mm) at each point.

	Α	В	D-1	D-2	D-3	D-4	D-5	D-6
6DH2	62.3	28.0	2.511	2.511	2.466	2.295	2.000	1.660
6F9	62.3	28.9	2.516	2.516	2.475	2.210	1.949	1.678
6CF1	61.5	29.5	2.512	2.512	2.429	2.240	1.974	1.710
6FJ6	62.3	35.2	2.505	2.505	2.505	2.376	2.040	1.606
6DH3	62.3	22.0	2.512	2.512	2.458	2.286	1.948	1.607
6L1	62.3	37.0	2.512	2.512	2.512	2.335	1.826	1.313
6DP17	62.3	32.1	2.518	2.518	2.518	2.372	1.834	1.141
6N1	62.3	37.0	2.514	2.514	2.514	2.278	1.672	1.058
6DP1	62.3	28.9	2.511	2.511	2.476	2.312	1.748	1.075
6DH4	62.3	25.5	2.520	2.520	2.440	2.258	1.915	1.575
6DH7	62.2	28.5	2.516	2.516	2.505	2.316	2.009	1.688
6DH8	62.2	20.3	2.538	2.538	2.436	2.208	1.827	1.497
6FL14	62.1	26.7	2.538	2.538	2.538	2.233	1.649	1.218
6F15	62.2	19.8	2.535	2.538	2.461	2.208	1.979	1.649
6DP10	62.4	26.5	2.51	2.51	2.44	2.26	1.56	.89
6F13	64.2	32.8	2.50	2.46	2.46	2.24	1.97	1.70
6DJ30	64.7	26.3	2.51	2.51	2.45	2.09	1.66	1.24

D-1 through D-7 indicates diameter (mm) at each point.

	Α	В	D-1	D-2	D-3	D-4	D-5	D-6	D-7
7DH5	72.2	27.4	2.98	2.98	2.94	2.78	2.44	2.08	1.72
7F7	72.3	33.1	2.99	2.99	2.99	2.80	2.54	2.28	2.02
7F6	72.3	29.0	3.00	3.00	2.95	2.68	2.41	2.14	1.87
7DH3	72.5	28.1	2.98	2.98	2.96	2.80	2.47	2.11	1.76
7DH2	75.3	31.6	2.99	2.99	2.99	2.84	2.66	2.27	1.92



# Components

JET NEEDLE NU	IMBER	APPLICATIONS	NEEDLE DIAMETER BEFORE TAPER (mm)	AIR FUEL RATIO
6FJ41 6FM46 6FJ40		TM38 FLATSLIDE ♠	2.522 2.522	LEANER
6DP04		<b>\</b>	2.522 2.515	RICHER
6EJ12-60 59 58 57		Early TMX38 FLATSLIDE	2.60 2.59 2.58 2.57	LEANER
56 55 54 53		•	2.56 2.55 2.54 2.53	RICHER
6EN11-58 57 56 55 54		Early TMX35 FLATSLIDE	2.58 2.57 2.56 2.55 2.54	LEANER
53 52			2.53 2.52	▼ RICHER
9DZH01 (S 9DZH03 9DZH04	STD)	RS34-36 SMOOTHBORE	2.50 2.49 2.48	LEANER V RICHER
9CHY03 (S 9CHY05 9CHY06	STD)	RS38-40 SMOOTHBORE	2.99 2.98 2.97	LEANER V RICHER
8DDY01-98 97 (S 96 95	STD)	HSR42 <b>♦</b>	2.98 2.97 2.96 2.95	LEANER • RICHER
8CFY02-98 97 (S 96 95	STD)	HSR45	2.98 2.97 2.96 2.95	LEANER • RICHER
J8-8CFY15-98 97 (S 96 95	STD)	HSR48	2.98 2.97 2.96 2.95	LEANER RICHER

### **BSR Type Carburetor Rebuild Kits**

Mikuni BSR Carbs are OEM on many Japanese ATVs, etc.

MK-BSR33 BSR 33mm Rebuild Kit MK-BSR42 BSR 44mm Rebuild Kit

MK-405 BSR 33/42mm Air Cut-Off Valve Rebuild Kit



### **POCKET TUNER**

A pocket-size slide calculator which determines required jetting changes in Mikuni carburetors due to ambient temperature, altitude, or both. It also provides a guide for determining rich or lean carburetor conditions. The Pocket Tuner is applicable to both single and multi-carburetor applications on two stroke and four-stroke engines. MK-550-TNR

## **THROTTLE SLIDES**

NOTE: Brass slides are chrome plated.

Aluminum slides are anodized, Xylan or Nickel-plated.

PART Number	CARB Application	SLIDE Material	IDLE SCREW Location	GUIDE PIN Groove Width	CUT-A-WAY Available
VM28/56	26-28 Spigot	Brass	Left	2.05mm	1.5, 2.0
VM30/176	30 Small Body	Brass	Left	2.05	1.0 thru 3.5
VM32/65	30, 32, 34 Spigot	Brass	Right	2.60	1.5 thru 3.5
VM34/110	30, 32, 34 Spigot	Brass	Left	2.60	1.0 thru 3.5
VM36/36	36 Spigot	Brass	Left	3.05	1.5 thru 3.5
VM36/39	36 Spigot	Brass	Right	3.05	3.0, 3.5
VM38/24	38 Spigot	Brass	Right	3.05	1.0 thru 3.5
VM38/52	38 Spigot	Brass	Left	3.05	1.5 thru 3.0
VM40/02	40, 44 Spigot	Alum.	Left	3.05	0.5 thru 4.0
VM44/23	40, 44 Spigot	Brass	Left	3.05	1.5 thru 4.0
832-39012	TM32-34	Alum.	Left		4.0
832-41018	TMX38	Brass	Left		5.0
832-43002	TM36, 38-1,3	Alum.	Left		1.5 thru 5.0
832-43011	TM38-85, 86	Alum.	Left		2.5 thru 4.5
999-832-014	TMX35, 38	Alum.	Left		2.5 thru 6.0
999-832-017-IH	TMS38,125	Alum.	Left		None

# Fuel Pumps

### **PULSE FUEL PUMPS**

Mikuni Pulse Fuel Pumps employ an engine's fluctuating engine crankcase pressure to pump fuel from a remote fuel tank to an engine's carburetor(s). Applications include personal watercraft and snowmobiles.








Part Number	Number of Outlets	Style	Mounting	Flow Rate LITERS/HR
DF44-227	1	RECTANGLE	FLUSH	14
DF52-176	2	ROUND	BRACKET	35
DF52-73	2	ROUND	FLUSH	35
DF52-92	3	ROUND	FLUSH	35
DF52-136	2	SQUARE	FLUSH	31
DF62-702	2	PENTAGON	FLUSH	65







### FUEL PUMP REBUILD KITS



PART NUMBER	CONTENTS	DESCRIPTION	QUANTITY	REMARKS
MK-DF44	CW2=0416	SCREW	4	W/WASHER
	DF44-201/03	GASKET	1	FIBER
	DF44-201/04	DIAPHRAGM	1	CLEAR
	DF44-201/05	MEMBRANE	1	THIN RUBBER
MK-DF52	DF52/105	GASKET	1	THICK FIBER
(Except DF52-136)	DF52-48/10	DIAPHRAGM	2	TRANSPARENT FILM
,	DF52-48/05	GASKET	1	THIN RUBBER
	DF52/113	GASKET	1	THIN RUBBER
	DF52/36A	GASKET	1	THICK FIBER
	DF52/27A	VALVE	2	CLEAR
	DF44/26	GROMMET	2	BLACK
MK-DF62	DF62-601/03	GASKET	2	PAPER GASKET
	DF62-601/04	DIAPHRAGM	2	CLEAR
	DF62-701/03	GASKET	2	PAPER GASKET
	DF62-701/05	CHECK VALVE	2	CLEAR GROMMET
MK-DF52-531	Yamaha Rhino F	uel Pump Rebuild Ki	t 1	-

# **Rebuild Kits**



# Mikuni DF52 ABS Plastic Pulse Fuel Pumps for OEM and Custom Applications

These are the new Mikuni DF52 Plastic Pulse Fuel Pumps, providing a fuel flow rate up to 17 liters per hour.

**H2DF52-708-1** Pulse Black Plastic Fuel Pump features a

Brass bushing in the mounting holes.

**DF52-745** Pulse Black Plastic Fuel Pump does not have

mounting hole bushings.



# Rebuild Kits for Mikuni Aftermarket & OEM BN Watercraft Carburetors, DF Fuel Pump

Mikuni Genuine Carburetor and Fuel Pump Rebuild Kits are available for both Mikuni Aftermarket Products as well as Mikuni Original Equipment Manufacturers' (OEM) Carburetors and Fuel Pumps. All Rebuild Kits feature Genuine Mikuni Replacement Parts suggested for the rebuild, along with a Parts List and Exploded View Diagram to help with assembly.

Because different vehicles require different jetting,

Mikuni MK-BN-38/44 Carburetor Rebuild Kit for Mikuni BN 34, 38, 44mm Personal Watercraft Carburetors Including for Kawasaki Jet Ski models

JS300 with BN34 Carburetor JS400 with BN36 Carburetor JS550 with BN38 Carburetor JS550 with BN44 Carburetor

### Mikuni MK-BN38/44 SPR Super BN Carburetor Rebuild Kit for Super BN38 and BN44 Personal Watercraft Carburetors

for Mikuni Super BN38 and Super BN 44 Carburetors as also found on Yamaha with Super BN44 and Sea-Doo with Super BN38

Mikuni MK-BN46-I BN Carburetor Rebuild Kit for Mikuni BN46-I Carburetor for Personal Watercraft

Mikuni Rebuild Kit for BN46-I (BN46-i) Carburetors with Pulse Fuel Pumps used in many personal watercraft applications.

Mikuni Carburetor Rebuild Kits DO NOT include jetting components. In older vehicles with a lot of wear, or those that have been stored with old gasoline, you may need to replace worn or clogged Needle Jets, Main Jets, Pilot Jets and Air Jets. You will need to order any required jetting components separately, additional to the Mikuni Rebuild Kit. These jetting components are shown in this Mikuni Product Catalog and on MikuniPower.com.

### Mikuni MK-BN44I-YAM BN Carburetor Rebuild Kit for Yamaha GP Personal Watercraft

Mikuni Rebuild Kit for BN44I (BN44i-Yam) Carburetors with Pulse Fuel Pumps for Yamaha GP Personal Watercraft Carburetor.

### Mikuni MK-DF44 Fuel Pump Rebuild Kit for Mikuni Square Body Pulse Fuel Pump

Mikuni Fuel Pump Rebuild Kit for Pulse Fuel Pump DF44-211. Also for Artic Cat Fuel Pump #0115-481

Mikuni MK-DF52 Fuel Pump Rebuild Kit for Mikuni Round Pulse Fuel Pump

for Mikuni DF52-21, DF52-73, DF52-92

Mikuni MK-DF62 Fuel Pump Rebuild Kit for Mikuni Pentagon Pulse Fuel Pump

for Mikuni DF62-702, DF62-705, DF62-706 Artic Cat Fuel Pump #0670-452

# **Rebuild Kits**



HSR42/45 Carburetor Rebuild Kit KHS-016

Mikuni Genuine Carburetor and Fuel Pump Rebuild Kits are available for both Mikuni Aftermarket Products as well as Mikuni Original Equipment Manufacturers' (OEM) Carburetors and Fuel Pumps. All Rebuild Kits feature Genuine Mikuni Replacement Parts suggested for the rebuild, along with a Parts List and Exploded View Diagram to help with assembly.

Because different vehicles require different jetting, Mikuni Carburetor Rebuild Kits DO NOT include jetting components. In older vehicles with a lot of wear, or those that have been stored with old gasoline, you may need to replace worn or clogged Needle Jets, Main Jets, Pilot Jets and Air Jets. You will need to order any required jetting components separately, additional to the



MK-RS34-40 Carburetor Rebuild Kit

Mikuni Rebuild Kit. These jetting components are shown in this Mikuni Product Catalog and on the MikuniPower.com website.

Unfortunately, Mikuni American USA can not assist you with identifying, providing parts for, or replacing Mikuni OEM Carburetors beyond these Rebuild Kits, as this was a direct relationship between Mikuni Japan and the Vehicle Manufacturer. Our Mikuni Distributors, a skilled Mechanic or your Vehicle Dealer may be able to determine if a different Mikuni Aftermarket Carburetor and/or Parts might be used on your vehicle in replacement of an OEM Carbureor or Parts. Some of our Mikuni Distributors even offer complete Aftermarket Carburetor Replacement and Performance Kits.

### Mikuni Aftermarket HSR, RS Carburetor Rebuild Kits

### Mikuni HSR42/45 Carburetor Genuine Rebuild Kit KHS-016 for Mikuni HSR 42/45 mm Carburetors

Mikuni's popular HSR42/45 Flat Slide Performance Carburetors for American V-Twins have been on the market for a number of years now, and for some older installations it may be time for a maintenance check, cleaning and rebuild.

#### Mikuni HSR48 Carburetor Genuine Rebuild Kit KHS-031for Mikuni HSR 48 mm Carburetor

Mikuni's popular HSR48 Flat Slide Performance Carburetors for American V-twins have been on the market for a number of years now, and for some older installations it may be time for a maintenance check, cleaning and a rebuild.

# Mikuni MK-RS34-40 Carburetor Rebuild Kit for Mikuni RS34 / RS36 / RS38 / RS40 Racing 4-Carburetor Assemblies.

Mikuni's legendary RS34/36/40 Flat Slide Performance Carburetors for In-line four cylinder 4-stroke motorcycles.

This Kit includes the needed Genuine Mikuni Parts to return your carb to like-new condition. Includes new float bowl Needle Jet Valves, Idle Jet Screws, Springs, Needle Circlips, Gaskets, Washers, O-Rings, assembly screws. Required jetting compoments sold separately.





## Mikuni Aftermarket VM, TM, TMX Carburetor Rebuild Kits

### Mikuni MK-TM35-38 Carburetor Rebuild Kit for various OEM Mikuni TM35 and TM38 carburetors and Mikuni Aftermarket TM35 and TM38 carburetors.

This Kit includes the needed Genuine Mikuni Parts to return your carb to like-new condition. Aftermarket Mikuni Application: TM35-1, TM38-18, TM38-27. Also fits some OEM Mikuni TM Applications.

Note: This is not the correct rebuild kit for the Mikuni OEM TMX38 Carburetor found on the Yamaha YZ 125's and KTM 150's and 250's. Use Mikuni Kit MK-TMX38-48 for these modern YZ and KTM applications.

# Mikuni MK-3668 Carburetor Rebuild Kit for TM36-68 Carburetor

Mikuni Carburetor Rebuild Kit for the popular TM36-68 4-stroke pumper carburetor sold for the aftermarket and found as original equipment on many off-road motorcycles.

#### Mikuni MK-TMX36-19 Carburetor Rebuild Kit

for 2000-2001 Honda CR125 and 2001-2003 Honda CR250 Motorcycles where the OEM TMX36 Mikuni Carburetor is used.

### Mikuni MK-TMX38-48 OEM Carburetor Rebuild Kit

For the TMX38 OEM Carburetor also found as original equipment on numerous 2-stroke motorcycles including the following:

2005-2017 Yamaha YZ 125

2017-2018 KTM 125, 150, 250, 300

2017-2018 Husqvarna 125, 150, 250, 300

2001-2006 Suzuki RM 125

2003-2005 Kawasaki KX 125

## Mikuni MK-TM38-85 Carburetor Rebuild Kit is designed to fit:

Mikuni TM38-85 Carburetors Mikuni TM38-86 Carburetors 1987-1990 Suzuki LT500r Quadzilla ATV

## Mikuni MK-606 Carburetor Rebuild Kit for Mikuni VM26-606 Carburetor

This Mikuni MK-606 Carburetor Rebuild Kit for the VM26-606 Carburetor.

## Mikuni MK-VM30-83 Rebuild Kit is designed to fit:

Mikuni VM30-83 Carburetors

## Mikuni MK-VM32-34 Rebuild Kit

**is designed to fit:** Mikuni VM32-193, VM32-33, VM34-168, VM34-275

# **Rebuild Kits**



# Mikuni MK-BSR33 Carburetor Rebuild Kit for multiple Yamaha ATVs including:

2004-2005 Yamaha YFM Bruin
2004-2006 Yamaha YFM350A/FA 2WD/4WD
2007-2011 Yamaha YFM350G/FG 2WD/4WD
2006-2007 Yamaha YFM350X Wolverine
2000-2004 Yamaha YFM 400 Big Bear 2WD
2004-2007 Yamaha YFM 350 Grizzly
2000-2006 Yamaha YFM400FA Kodiak 4WD
2007-2008 Yamaha YFM400FA Grizzly
2000-2006 Yamaha YFM400FG Kodiak 2WD
2006-2008 Yamaha YFM450FX Wolverine
2008-2011 Yamaha YFM450FG Grizzly

2003-2006 Yamaha YFM450F Kodiak

# Mikuni MK-BSR33-01 Carburetor Rebuild Kit for Can-Am and John Deere ATVs including:

Can -Am Applications:

2001-2005 Bombardier/ Can-Am Traxter 500 ATV 2003-2008-Bombardier/ Can-Am Outlander 330/400 ATV

#### John Deere Applications:

Buck Utility ATV- PC9360 John Deere OEM Carburetor C707000363 (BSR33-61) John Deere OEM Carburetor C707000366 (BSR33-62)

## Mikuni MK-BSR33-P68 Carburetor Rebuild Kit for Yamaha Rhino ATVs including:

2007-2009 Yamaha Rhino 450 UTV.

## Mikuni MK-BSR33-41 Carburetor Rebuild Kit for Yamaha Raptor ATVs including:

2001-2005 Yamaha Raptor 660 ATV Twin Carburetors

# Mikuni MK-BSR42 Carburetor Rebuild Kit for Yamaha Rhino 660 UTVs including:

2004-2007 Yamaha Rhino 660 UTV Carburetor.

## Mikuni Carburetor Rebuild Kit MK-403 for Yamaha 225 Model Trail Bikes and ATVs

Mikuni Fuel Pump Rebuild Kit MK-DF52-531 for Yamaha Rhino 450, 660

## Mikuni BSR33/42 Air Cutoff Valve Rebuild Kit MK-405

#### Mikuni MK-8012 Carburetor Rebuild Kit for TM33-8012 for Suzuki DR350 Trail Bike and Mikuni TM33 Carburetors

Fits Suzuki 1993, 1995 DR350 Carburetors

## Mikuni MK-512 Carburetor Rebuild Kit for Mikuni VM24-512 Carburetor.

2007-2018 Cobra CX 65,199802008 KTM 65 SX.

### Mikuni MK-BSR42-10 Carburetor Rebuild Kit for Yamaha Grizzly 660 ATV

Fits: Yamaha 2002-2008 Grizzly 660 ATV

# Mikuni MK-BSR42-04 Carburetor Rebuild Kit for Bombardier, / Can Am DS 650 ATV

Bombardier / Can Am DS 650 ATV

# Mikuni MK-BSR33-66 Carburetor Rebuild Kit for Yamaha Big Bear, Bruin ATV

Yamaha 2007-2009 Big Bear 250 Yamaha 2005-2006 Bruin 250

## Mikuni MK-BSR42-07 Carburetor Rebuild Kit for Can Am Quest and Traxter ATVs

Quest, Quest XT model year 2002 Quest 500, 550 model year 2003 Quest 650 model year 2003 Quest, Quest XT, Quest MAX model year 2004 Traxter CVT 500, 600, 650 XT model year 2005

## Mikuni MK-BSR36-34 Carburetor Rebuild Kit for 2000-2017 Suzuki DRZ400 E/S/M

Mikuni MK-405 BSR 33/42mm Air Cut-Off Valve Rebuild Kit

### Mikuni MK-DF44 Fuel Pump Rebuild Kit for Mikuni Square Body Pulse Fuel Pump

Mikuni Fuel Pump Rebuild Kit for Pulse Fuel Pump DF44-211. Also for Artic Cat Fuel Pump #0115-481

## Mikuni MK-TM40SM-1 Carburetor Rebuild Kit for Arctic Cat and Polaris Snowmobiles

Fits OEM Mikuni TM40 Carburetors on Arctic Cat and Polaris Snowmobiles with a 1.8 Float Valve.

## Mikuni MK-TM38SM-1 Carburetor Rebuild Kit for Arctic Cat and Polaris Snowmobiles

Fits OEM Mikuni TM38 Carburetors on Arctic Cat and Polaris Snowmobiles with a 1.5 Float Valve.

**Mikuni MK-TM40SM-2 Carburetor Rebuild Kit for Ski-Doo** Fits OEM Mikuni TM40 Snowmobile Carburetors on Ski-Doo Snowmobiles with a 1.5 Float Valve.

### Mikuni MK-TMX38-48 OEM Carburetor Rebuild Kit

For the TMX38 OEM Carburetor found as original equipment on numerous 2-stroke motorcycles including the following: 2005-2017 Yamaha YZ 125 2017-2018 KTM 125, 150, 250, 300 2017-2018 Husqvarna 125, 150, 250, 300 2001-2006 Suzuki RM 125 2003-2005 Kawasaki KX 125

## Mikuni MK-BST40-233 Carburetor Rebuild Kit for Mikuni OFM 1996-2017 Suzuki DR 650 SF Carburetor.

Mikuni OEM 1996-2017 Suzuki DR 650 SE Carburetor.

## **Mikuni MK-BST31-120 Carburetor Rebuild Kit for** Mikuni OEM 1996-2017 Suzuki DR 200 Carburetor.

**Mikuni MK-TM24-12 Carburetor Rebuild Kit for the** 2009-2018 KTM 65, 2011-2018 Husqvarna TC 65, and Mikuni TM24-8001 Carburetor.

## Mikuni MK-BST34-250 Carburetor Rebuild Kit for Yamaha 2001-2005 Wolverine 350.

# **Mikuni MK-BSR42-16 Carburetor Rebuild Kit for** Polaris 2003-2007 Predator 500 ATV and 2006-2007 Outlaw 500 ATV.

# Mikuni OEM / Orignial Equipment of the Manufacturer Carburetor Rebuild Kits

**Mikuni MK-BST34-101 Carburetor Rebuild Kit for** Yamaha 1992-2007 Serow XT225, 1999 Yamaha TT 225L and 1999-2004 Yamaha TTR225L

**Mikuni MK-BST34-190 Carburetor Rebuild Kit for** multiple Polaris ATV's and UTV's with OEM Mikuni BST34 Carburetors.

**Mikuni MK-BST40-225 Carburetor Rebuild Kit for** 1998-2007 KTM 640 LC4, and 1998-2000 KTM 400 SX

**Mikuni MK-TM40SM-2 Carburetor Rebuild Kit for** multiple Ski-Doo Snowmobile Models with Mikuni TM40 Carburetor with 1.5 Float Valve.

## Mikuni MK-BST40-251 Carburetor Rebuild Kit for Polaris ATVs

2001-2012 Polaris Scrambler 500 4x4 ATV 2003-2005, 2010-2013 Polaris Sportsman 500 ATV 2012-2013 Polaris Sportsman Forest 500 ATV 2002, 2007-2009 Polaris Scrambler 500 2x4 ATV 2010-2013 Polaris Sportsman Touring 500 ATV 2004-2005 Polaris ATP 500 4x4

## Mikuni BST36-C326 Carburetor Rebuild Kit for multiple Triumph Motorcycles

## Mikuni MK-BDST-38-367 Carburetor Rebuild Kit for Yamaha TDM850, Ducati BDST38 Carburetors

The common Slide Needle Valve not included in this kit if need is Mikuni Part #784-232301-Y-2

#### Mikuni MK-TM35-38 Carburetor Rebuild Kit for various OEM Mikuni TM35 and TM38 carburetors and Mikuni Aftermarket TM35 and TM38 carburetors

This Kit includes the needed Genuine Mikuni Parts to return your carb to like-new condition.

Aftermarket Mikuni Application: TM35-1, TM38-18, TM38-27 Fits OEM Mikuni Applications:

1986-1988 Suzuki RM125 1988-1992 Suzuki RM250 1989-1996 RMX250

1992-2002 Husqvarna 2-Stroke CR, WXC, WXE, WR 125, 250, 360 where the OEM Mikuni TM35 and TM38 carburetors are used

Note: This is not the correct Rebuild Kit for the Mikuni OEM TMX38 Carburetor found on the Yamaha YZ 125's and KTM 150's and 250's. Use Mikuni Kit MK-TMX38-48 for these modern YZ and KTM applications.

### Mikuni MK-TMX36-19 Carburetor Rebuild Kit

for 2000-2001 Honda CR125 and 2001-2003 Honda CR250 Motorcycles where the OEM TMX36 Mikuni Carburetor is used.

# Mikuni MK-TMX38-56 Rebuild Kit is designed to fit:

2004-2007 Honda CR125 2004-2007 Honda CR250

Mikuni MK-BSR34-198 Carburetor Rebuild Kit

For 1997-1999 Yamaha Big Bear 350 ATV and 1999-2004 Yamaha Bear Tracker 250 ATV applications where the OEM BSR34 Mikuni Carburetor is used.

**Mikuni MK-BSR42-31 Carburetor Rebuild Kit** for2012-2013 Yamaha YFZ 450 ATV applications where the OEM BSR42 Mikuni CV Carburetor is used.

**Mikuni MK-BTM32-16 Carburetor Rebuild Kit** is designed to fit Yamaha ATV applications where the OEM BTM32 Mikuni Carburetor is used.

Yamaha application includes 1993-1995 Yamaha Kodiak 400 ATV, 1987-1995 Yamaha Moto 4 350 ATV, 1987-1998 Yamaha Big Bear 350 ATV, 1987-2004 Yamaha Warrior 350 ATV, 1995 Yamaha Wolverine 350 ATV.

# Mikuni MK-415 Cover Kit Designed to fit various Yamaha ATV applications where the OEM BTM32 Mikuni Carburetor is used Includes the plastic side cover, diaphragm, diaphragm spring and screws.

Yamaha application include: 1993-1995 Yamaha Kodiak 400 ATV, 1987-1995 Yamaha Moto 4 350 ATV, 1987-1998 Yamaha Big Bear 350 ATV, 1987-2004 Yamaha Warrior 350 ATV, 1995 Yamaha Wolverine 350 ATV.



# Rebuild Kits



Mikuni MK-BSR32-46 Carburetor Rebuild Kit is designed to fit Mikuni BSR31 Carburetor

and application for: 1999-2010 Suzuki GZ250

Mikuni MK-BSR32-69 Carburetor Rebuild Kit is designed to fit Mikuni BSR32 Carburetor and 2001-2007 Suzuki DZR 250 with Mikuni BSR32 Carburetor.

Mikuni MK-BSR36-58 Carburetor Rebuild Kit is designed to fit: 2003-2008 Suzuki LTZ 400 ATV

**Mikuni MK-BSR36-89 Carburetor Rebuild Kit is designed to fit:** Multiple Manufacturers Applications with Mikuni BRS36-89 Carburetors.

Mikuni MK-BST33-218 Carburetor Rebuild Kit is designed to fit: 1990-1999 Suzuki DR350S.

## Mikuni MK-VM12-85 Carburetor Rebuild Kit is designed to fit:

1981-2020 Yamaha PW50, 1979-1981 QT50 1984-1985 YT30 3-Wheeler, 1986 Zinger, 1982 MJ50 Scooter

Mikuni MK-VM15-518 Rebuild Kit is designed to fit: 1986-1990 Yamaha BW80

Mikuni MK-VM26-575 Carburetor Rebuild Kit is designed to fit: 1988-2006 Yamaha Banshee

Mikuni MK-VM28-418 Carburetor Rebuild Kit is designed to fit All Mikuni VM28-418 Carburetors incuding: 1986-2001 Suzuki RM80

Please Note: All Mikuni Rebuild Kits shown on these pages include all critical Genuine Mikuni Parts including the fuel and air screws, float needle valve, fuel diaphram, O-rings, body gaskets and screws, springs, filters, clips, and other related items to return your carb to its original condition.

Due to Jet variations for different Manufacturers' applications, these Kits DO NOT include any Main Jets, Pilot Jets or Throttle Slide Needles. If needed, you will need to order these individually using the part numbers shown on the jetting papes of this Catalog. All Mikuni Carburetors use similar jetting components.

Shown Left: Mikuni MK-BSR32-46 Carburetor Rebuild Kit Shown Right: Mikuni VM, Mikuni TM Rebuild Kits

## Mikuni MK-VM34-8441 Carburetor Rebuild Kit is designed to fit Polaris VM34 Carburetors including:

1997-2002 Scrambler 400 1994-1999 Sport 400L 1995-2001 Xplorer 400L 1997 Big Boss 400L 6X6 1996-1998 Xpress 400L 1994-1997 Sportsman 400L

# Mikuni MK-VM24-431 Carburetor Rebuild Kit is designed to fit:

1998-2003 Kawasaki KX60 2003 Suzuki RM60

# Mikuni MK-BST34-242 Carburetor Rebuild Kit is designed to fit:

1999-2000 Cam Am Tracker 500

# Mikuni MK-BST34-207 Carburetor Rebuild Kit is designed to fit:

1998-2002 Suzuki LT-500F ATV

## Mikuni MK-BSR37-B1 Carburetor Rebuild Kit is designed to fit:

1999-2006 Yamaha V-Star 1100

# Mikuni MK-VM20-408 Carburetor Rebuild Kit is designed to fit:

2008-2020 Yamaha TTR 125 LE

## Mikuni MK-VM16-909 Carburetor Rebuild Kit is designed to fit:

2000-2007 Yamaha TTR90

# Mikuni MK-VM15-460 Carburetor Rebuild Kit Is designed to fit:

1983-2006 Yamaha PW80

## Mikuni MK-VM11-30 Carburetor Rebuild Kit is designed to fit:

2012-2020 Yamaha TTR 50

## Mikuni MK-VM24-428 Rebuild Kit is designed to fit:

1988-2002 Kawasaki KLF220 Bayou 2003-2011 Kawasaki KLF250 Bayou

## Mikuni MK-VM26-597 Rebuild Kit is designed to fit:

1992-2002 Yamaha Blaster YFS200





2012-2020 Yamaha TTR50

## Mikuni MK-BS29-20 Carburetor Rebuild Kit is designed to fit:

2002-2009 Suzuki Ozark 250 ATV

## Mikuni MK-VM11-28 Carbetetor Rebuild Kit is designed to fit:

2006-2009 Yamaha TTR 50

## Mikuni MK-VM16-610 Carburetor Rebuild Kit is designed to fit:

2000-2020 Yamaha TTR 110

### Mikuni MK-VM30-214SM Rebuild Kit is designed to

**fit:** Various Ski-Doo Snowmobiles equipped with Mikuni OEM VM30 Carburetors with 1.2 Viton Tip Float Valve

## Mikuni MK-VM20-368 Carburetor Rebuild Kit is designed to fit:

2000-2007 Yamaha TTR 125

## Mikuni MK-VM30-83 Rebuild Kit is designed to fit:

Mikuni VM30-83 Carburetors

## Mikuni MK-VM32-34 Rebuild Kit

**is designed to fit:** Mikuni VM32-193, VM32-33, VM34-168. VM34-275



# Mikuni MK-TM32-34 Carburetor Rebuild Kit is designed to fit:

Mikuni TM32-1 Carburetor, Mikuni TM34-2 Carburetor 1985-1992 Suzuki LT250R ATV

## Mikuni MK-TMX34-3SM Carburetor Rebuild Kit is designed to fit: Mikuni TMS34 Snowmobile Carburetor

## Mikuni MK-TM36-B80SM Carburetor Rebuild Kit is designed to fit:

Yamaha OEM Snowmobiles with Fuel Screw

## Mikuni MK-TM38-85 Carburetor Rebuild Kit is designed to fit:

Mikuni TM38-85 Carburetors Mikuni TM38-86 Carburetors 1987-1990 Suzuki LT500r Quadzilla ATV

#### Mikuni MK-TM38-B103SM RebuildKit

is designed to fit: Yamaha Snowmobile Models 1994 VMAX 600, 1994 VMAX 600 DX, ST 1994-1996 VMAX 500 LE, 1994-1996 VMAX 500 1993 EXCITER II, 1994 VMAX 500 St 1994-1996 VMAX 500 DX, 1996 VMAX 500 XT 1995 XV 600, STV, EV, DXV

### Mikuni MK-TM38-154SM Carburetor Rebuild Kit

**is designed to fit:** Ski-Doo Applications 1996-2003 Mach Z, 1996-1999 Mach Z LTD 1999-2001 Grad Touring 800 1997-2000 Mach 1, 1999-2000 Formula III 800

# Rebuild Kits



Please Note: All Mikuni Rebuild Kits shown on these pages include all critical Genuine Mikuni Parts including the fuel and air screws, float needle valve, fuel diaphram, O-rings, body gaskets and screws, springs, filters, clips, and other related items to return your carb to its original condition.


Due to Jet variations for different Manufacturers' applications, these Kits DO NOT include any Main Jets, Pilot Jets or Throttle Slide Needles. If needed, you will need to order these individually using the part numbers shown on the jetting papes of this Catalog. All Mikuni Carburetors use similar jetting components.

Shown Left: Mikuni MK-KHS-001 Carburetor Rebuild Kit


Below Left: All Rebuild Kits come with an Exploded Parts View Drawing to show carburetor assembly and a list of the new parts included in each Rebuild Kit.

# Mikuni MK-KHS-001 Rebuild Kit is designed to fit:

Mikuni TM40-6 Carburetor







The following Yamaha applications: 2008-2013 Raptor ATV 2011-2013 Raptor 125 ATV

## Mikuni MK-BSR36-83 Rebuild Kit is designed to fit:

2004-2013 Yamaha Raptor 350 ATV

## Mikuni MK-BSR37-68SM Rebuild Kit is designed to fit:

The following Yamaha Snowmobile Applications - 2003-2004 RX-1 2003-2005 RX-1 Mountain 2004-2005 RX-1 Mountain LTD Edition 2994-2005 RX Warrior

# Mikuni MK-BSR33-79 Rebuild Kit is designed to fit:

2017-2022 Beta Trial EVO 3004T

# Mikuni MK-BST40-249 Rebuild Kit is designed to fit:

1998-2001 Yamaha Grizzly 600 ATV

## Mikuni VM-18-319 Rebuild Kit is designed to fit Yamaha ATV Applications:

2004-2013 Grizzly 125 1986-1988 Moto-4 1983-1985 Tri-Moto 225 1983-1984 Tri-Moto 200 1989-2004 Breeze 125 1985-1989 Moto-4 200 1989-1991 Moto-4 250 1989 Pro Hauler 230 1992-2000 Timberwolf 250 1983 YTM 225 1983-1985 YTM 200



## Mikuni MK-BST34-216 Rebuild Kit is designed to fit:

Art Cat Models 1999-2001 250 4x4, 1998-2000 300 2x4 and 4x4 2000-2004 400 2x4 and 4x4 1996 Bearcat 454 4x4 1997-1998 454 2x4 and 4X4 1998-2000 500 4x4

## Mikuni MK-BST31-40 Rebuild Kit is designed to fit:

The following Suzuki models:
1990-1999 Quadrunner LT-F 250 ATV
1990-1996 LT-F 250T ATV
1997-2000 Quadrunner LT-F 250 AWD ATV
1991-2002 Quadrunner LT-F300 4WD ATV

## Mikuni MK-TMX38-56 Rebuild Kit is designed to fit:

2004-2007 Honda CR125 2004-2007 Honda CR250

## Mikuni VM-30--8162 Rebuild Kit is designed to fit Polaris ATV Applications:

1986 Scrambler 250 1994-1995 300 ZX4 1998-1999 Explorer 300 1993 350L 2x4, 4x4, 6x6 1998-1999 Xpress 300 1996-1992 Trail Boss 350L

